



## A Celebrated Heritage

**H**atteras Yachts was born out of the treacherous waters that surround Cape Hatteras, North Carolina. For centuries, this fabled part of the mighty Atlantic has been subjected to the worst of nature's wrath. It was here that Willis Slane was inspired to construct a yacht that would thrive in the "Graveyard of the Atlantic."

More than 50 years later, Hatteras Yachts is still the foremost leader in the construction of luxury fiberglass yachts. Our attention to detail, painstaking research and product development, and impeccable quality are what have kept generations of yacht owners coming back to Hatteras to fulfill their yachting dream.

We are proud to present our latest motor yacht design, the 60 Motor Yacht. This luxurious vessel features the deluxe amenities and appointments normally reserved for much larger yachts, combined with the hull strength and performance that is synonymous with the Hatteras name. There are many other boats in this size range, but none in this class. The 60 MY is more than a yacht. It is a Hatteras.





## The Hatteras 60 Motor Yacht

### Less Isn't More. More Is More.

Perhaps the most impressive thing about the Hatteras 60 Motor Yacht is how it feels like so much more. More room. More luxury. More speed. More everything. It all begins on the spacious flybridge, where beautiful views, fresh air, and easy-going entertainment areas provide a brilliant backdrop for any cruise. The standard layout features a centerline helm with twin chairs and space for multiple flat-screen displays and navigational aids. Guests can spread out and socialize on big benches to port and to the stern. Add an optional davit and dinghy on the aft overhang, or enhance this area with a mega-sized sun lounge and sun pad.

Down from the flybridge, the 135-square-foot aft deck is bigger than those found on many larger motor yachts.



A sumptuous, curved settee runs the length of the transom and provides quick access to the swim platform from either side. The swim platform has a lift to hold a tender, and the design also allows for the installation of an optional passerelle to facilitate Mediterranean-style mooring. Whether entered through the aft deck hatch or the optional bustle door in the transom, the engine room offers unbelievable overhead clearance and working/storage space, along with room for



**“The 60 MY’s advanced hull design and impressive fuel capacity mean longer, faster runs with a more stable ride.”**

an optional crew quarters. Meanwhile, side decks measuring almost 13 inches across make handling the lines easy and safe, and provide access to a storage locker on the port side and a molded bench seat on the bow deck.

Like all Hatteras models, the 60 MY is founded on a solid fiberglass bottom that includes sturdy support in key areas like the hull tunnel, shaft log, and strut locations. Divinycell coring is infused into the hull sides, decks, and superstructure to add stiffness and reduce weight. The hull also benefits from a variable-deadrise shape with large propeller tunnels for a reduced draft and increased efficiency. And it all comes with a boatbuilding pedigree that has made Hatteras a leading name in motor yachts for 50 years.





## An Open and Flowing Interior

**A** three-panel glass door framed in stainless steel slides opens to allow entrance to the 60 MY's massive salon (the panels stack to port and create an extra-large, patio-like portal to the aft deck). This immaculate space features a large sofa opposite a club chair — perfect for casual conversation — plus thoughtful attention to detail in the wenge wood accents, deluxe wall coverings, and designer-conceived soft goods. A 37-inch flat-screen TV is mounted in

**“A large dinette to port calls to mind a casual country kitchen typically found on larger yachts.”**

the aft starboard corner, and oversized frameless windows provide a panoramic view of the horizon all around.

A single step up from the salon leads to the grand galley and country kitchen. Highlights here include optional stone countertops and backsplashes, as well as thoroughly modern appliances and conveniences. Custom cabinetry with a rich mahogany finish provides an elegant feel and loads of storage for food, silverware, and cookware (additional freezer space is available in the bustle down below). Interior steps and a hatch can be added to provide direct access to the flybridge, and for those who prefer a lower helm, one is available as an option in lieu of the dinette.







## Reason to Rise and Shine

**T**he 60 Motor Yacht features a three-stateroom, two-head arrangement that includes a best-in-class, 130-square-foot, full-beam master cabin. Cedar-lined hanging lockers and solid wood dressers with furniture-quality joinery provide abundant storage for traveling clothes and gear, while the 32-inch flat-screen TV and high-end sound system offer ready entertainment after a long day. To port, a private head with optional stone countertops and warm hardwood flooring also features a large shower or full-size tub.

Guests will delight in two generous cabins, one in the bow and one to port, with a shared head on the starboard side. A spacious VIP stateroom forward has a queen



**“A spacious VIP stateroom forward has a queen berth that lifts to reveal a cavernous, cedar-lined storage compartment below.”**

**“Owners who plan to spend a lot of time on board will definitely appreciate the king-sized berth, vanity to starboard, and large atmospheric portholes.”**



berth that lifts to reveal a cavernous, cedar-lined storage compartment below. Another cedar-lined hanging locker and a pair of cabinets provide additional stowage for extended voyages. The remaining stateroom has twin crisscross bunks that are ideal for kids or crewmembers, along with cedar-lined hanging lockers and a full-length mirror.



## Hatteras 60 Motor Yacht | Standard Arrangements



Standard Flybridge Arrangement

Standard Salon / Galley Arrangement

Optional Flybridge w/ Hatch to Interior Stairwell

Optional Interior Flybridge Stairwell

Optional Lower Helm and Crew Quarters

Standard 3-Stateroom / 3-Head Arrangement

## Specifications

Length Overall (B)	60' 11"	18.57 meters
Length Overall with Bow Pulpit		
Beam	18' 2"	5.53 meters
Draft (C)	4' 6"	1.37 meters
Draft Enclosed Bridge (C)		
Freeboard Forward (C)	7' 1"	2.16 meters
Freeboard Aft (C)	5' 3"	1.6 meters
Headroom Most Areas	6' 8"	2.03 meters
Freshwater Capacity (C)	250 gallons	946 liters
Gray Water (C)		
Fuel Capacity (C)	1000 gallons	3,785 liters
Optional Fuel Capacity (C)		
Holding Capacity (C)	100 gallons	378 liters
Weight Displacement (C)	85,500 pounds	38,782 kilos
Height Above Waterline to (C):		
- Top of Open Flybridge		
- Top of Enclosed Flybridge		
- Top of Flybridge Windshield	15' 0"	4.57 meters
- Top of Arch	19' 9"	6.02 meters
Waterline Length	53' 1"	16.18 meters

## Engine Options

Twin CAT C18A Diesel Engines	1000 BHP
Twin CAT C18A Diesel Engines	1135 BHP



## Hatteras 60 Motor Yacht | Standard Equipment

### Exterior Finish / Construction

- Isophthalic gelcoat, exterior layer, white (all areas except hull)
- Blister resistant vinylester gelcoat, clear (hull)
- Hull and superstructure painted with a premium linear polyester/polyurethane coating for improved cosmetics & increased durability
- Polymer/copper based anti-fouling bottom paint
- Boot stripe, linear polyester/polyurethane coating
- Decks, non-skid surface, polyurethane paint with polymeric beads
- Solid fiberglass, resin-infused hull bottom with premium vinylester resins
- Hull sides of resin infused composite construction with PVC foam core and premium vinylester resins
- Solid fiberglass, resin-infused longitudinal stringers
- Steel resin infused into longitudinal stringers at key locations to create engine foundations
- Bulkheads, athwartships and interior decks of resin-infused composite construction using PVC foam core

### Hardware and Miscellaneous

- Wood cabinetry with a satin polyester finish in African mahogany and wenge trim
- All hardware polished chrome with satin chrome in galley
- 60 pound plow anchor, anchor line and deck hawse pipe
- Windlass, Maxwell RC10 with 25 feet of acculoy hot-dipped galvanized chain and 300 feet of rope with deck mounted control switches
- Bow thruster, 26 hp electric, with a single 24 volt bank of heavy-duty, 12 volt marine batteries (2) and charger
- Two polished stainless-steel springline cleats with chafing strips, through bolted in aluminum backing plates
- Polished stainless-steel bow cleats, through bolted in aluminum backing plates
- Polished stainless-steel stern cleats, through bolted in aluminum backing plates
- Welded and polished stainless-steel rails on bow, side deck and flybridge, drilled and tapped in aluminum backing plates

- Fog bell
- Horn
- Zincs on rudders and shafts
- Stern staffs with ensign
- Black braided mooring lines (6)
- Alloy 22 high-strength propeller shafts
- Manganese bronze dripless rudder seals
- Dripless shaft seals
- Life jackets (6)
- Life ring
- Portable "drychem" fire extinguishers (6), U.L. approved type in compliance with United States Coast Guard and ABYC standards
- Stainless-steel trim tabs
- Integral manganese bronze struts
- Stainless-steel rudders
- Propellers, Nibral high performance
- MarQuipt sea ladder with storage brackets
- Walk around side decks
- Black fenders (3)
- Deck plates for fuel and water fills and waste pump-out
- Engine exhaust exits through hull side near transom
- Anchor locker on bow deck

### Engine Compartment and Bilge

- Pultruded fiberglass ruddershelf with stainless-steel rudder tie bar
- AC fluorescent lights
- DC lights
- DC ventilation blower
- Twin diesel, freshwater-cooled main engines with electrically controlled marine gears, neutral interlocks, exhaust silencers, engine hour meters, alternators, fuel filters and seawater strainers
- FM200 fixed fire extinguishing system for engine compartment with automatic and remote manual controls, plus audible and visual discharge signals
- One 21.5 kW freshwater-cooled Electronic Quiet Diesel Onan generator (D) with shock mounts, sound enclosure, seawater strainer, remote start, fuel/water separator, hour meter and water lift muffler
- Air intake system for engine room and engine combustion air with baffling and filters to minimize water intrusion

- Polyethylene water lines
- Freshwater connection
- Dockside water inlet with pressure regulating valve
- 24 volt DC bilge and sump pumps: two at 2,000 gph and three at 3,700 gph, with heavy-duty float switches and protective guards
- Bronze/chrome ball-valves through bolted in solid fiberglass on all underwater through hull fittings with electrical bonding throughout
- Pressurized 230 volt AC freshwater pump
- 230 volt AC 20 gallon electric water heater
- Aluminum fuel tank
- Polyethylene water tank
- Polyethylene sewage holding tank with 24 volt DC sewage pump, plumbed for dockside pump-out with 3/4 full display and alarm as part of systems monitor programmable logic controller
- U.L. Marine-listed fuel filter/water separator, generator
- Sealed shower sump, one each
- U.L. Marine-listed fuel filter/water separator
- Electric fuel priming pumps, 24 volt DC, engines
- United States Coast Guard type A1 U.L. Marine approved fuel lines
- Discharge sea chests
- 1" stainless-steel steering tie bar with pivoting self-aligning ball joint connection at all cylinder and tie bar connections
- Insulation in deck
- Pick-up sea chests
- DC voltmeter in battery panel
- Start / stop switches and hour meter



## Hatteras 60 Motor Yacht | Standard Equipment

### Electrical Systems

- Two 24 volt banks of heavy-duty, 12 volt marine batteries (6) mounted in fire retardant fiberglass boxes
- U.L. 1426 listed boat cable, tin coated with insulation
- Gel/lead acid compatible 240 volt automatic battery charger, 50/60Hz
- Automatic battery paralleling system with switch at control console
- Two 120/240 volt, 50 amp, shore cord inlets with cords, over-current protection, and electric power monitoring (sport deck)
- AC duplex outlet(s) with ground fault protection
- Battery control panel with fuses and isolation switches
- DC electronics panel with magnetic circuit breakers
- AC and DC distribution panels with magnetic circuit breakers

- AC switching panel with source selector switches, volt meter, ammeter, frequency meter, generator start/stop controls, and distribution panel selector switches
- Navigation lights
- Ground fault protection on AC receptacles and AC lighting circuits
- Air conditioning, 64,000 BTUs, with reverse-cycle heating
- TV antenna, omni-directional

### Flybridge and Bridge Deck

- Systems monitor with programmable logic controller read-out, visual and audible signals for exhaust temperature, alternator, battery voltage, high bilge water, fire warning in engine compartment, fire extinguisher discharge in engine room, AC power loss, smoke detectors, carbon monoxide detectors, and holding tank 3/4 full monitor
- Icom VHF, Furuno RD30 depth and temp
- Welded and polished stainless-steel grab rails and stanchions
- Lounge with vinyl-covered polyfoam cushions and storage underneath
- Framed glass windshield
- Control station with all necessary switches and dimmable lighted instruments
- Painted aluminum radar arch with masthead light and anchor light
- Compass with dimmable light
- Single-lever clutch and throttle controls (electronic) with emergency back-up and engine synchronization
- Hydraulic power assisted steering
- Two (2) adjustable helmchairs
- DC AM/FM stereo receiver with CD player and speakers
- Molded-in stairs to aft deck
- DC low level lights
- Neutral interlock switches allowing engine to start in neutral only
- Fuel level gauges

### Optional Lower Helm (F)

- Systems monitor with programmable logic controller read-out, visual and audible signals for exhaust temperature, alternator, battery voltage, high bilge water, fire warning in engine compartment, fire extinguisher discharge in engine room, AC power loss, smoke detectors, carbon monoxide detectors, and holding tank 3/4 full monitor
- Control station with all necessary switches and dimmable lighted instruments
- Integrated controls (electronic) and engine synchronization
- Compass with dimmable light
- Hydraulic power assisted steering
- Intermittent electric windshield wipers/washers with controls
- Electric defogger
- Helm Seat

### Aft Deck

- Molded bench seating with vinyl covered polyfoam cushions and cover
- Fiberglass stairwell from aft deck to bridge deck
- Molded fiberglass steps with lights to sport deck, port and starboard
- Chain gates from aft deck to swim deck steps
- Welded and polished stainless-steel door to deckhouse
- Amplifier, speakers, and volume control integrated with Bose salon stereo
- AC duplex outlet(s) with ground fault protection
- DC lighting in hardtop
- Access hatch to utility and engine compartment

### Sport Deck

- Freshwater wash down outlet with hose connection
- Molded-in fiberglass steps with DC lights to aft deck
- Pop-up cleats (2)
- Swim platform with stainless steel re-boarding ladder



### Master Stateroom

- Carpeting
- Fabric headliner installed on track system for service access
- Fabric covered hull side(s) and bulkhead(s) installed on track system for service access
- King-sized berth with upholstered headboard and cedar-lined storage underneath
- Upholstered berth base
- HMC System 1 mattress, spread, throw pillows, pillows, pillow shams, mattress pad and sheets
- Twin cedar-lined wardrobes with doors and automatic lights
- Nightstands with drawers
- Dresser with drawers, port and starboard
- 32" LCD TV
- Bose 3-2-1 GS with AM/FM and DVD/CD w/speakers
- Full-length mirror

- DC LED lighting
- DC low-voltage lights under berth
- AC duplex outlet(s) with ground fault protection
- Private access to head
- Smoke detector
- Carbon monoxide detector
- Privacy blinds
- HVAC control
- Portlights, port and starboard
- Vanity with stool

### Bow Guest Stateroom

- Carpeting
- Fabric headliner installed on track system for service access
- Fabric covered hull side(s) and bulkhead(s) installed on track system for service access
- Queen-sized tapered berth with upholstered headboard and cedar-lined storage underneath
- Upholstered berth base
- HMC System 1 mattress, spread, throw pillows, pillows, pillow shams, mattress pad and sheets
- Cedar-lined hanging locker with door and automatic light
- Nightstands, port and starboard
- DC AM/FM stereo receiver with CD player and speakers
- Full-length mirror
- DC LED lighting
- AC duplex outlet(s) with ground fault protection
- Private access to head
- Smoke detector
- Carbon monoxide detector
- HVAC control
- Screened overhead hatch with privacy cover

- Cedar-lined hanging lockers with door and automatic light
- Full-length mirror
- DC LED lighting
- AC duplex outlet(s) with ground fault protection
- Smoke detector
- Carbon monoxide detector
- HVAC control

### Master Head

- Amtico vinyl flooring
- Fabric headliner installed on track system for service access
- Wallcovering
- Solid-surface countertop, backsplash, and side splash with integral sink
- Hardwood baseboards
- Stall shower with door and automatic sump pump
- Storage cabinet with mirror above sink
- Base cabinet to match interior finish with storage
- Towel bar
- Freshwater toilet
- 120 volt AC air freshener blower
- DC LED lighting
- AC duplex outlet(s) with ground fault protection
- Holding tank 3/4 full indicator light

### Guest Heads

- Amtico vinyl flooring
- Fabric headliner installed on track system for service access
- Wallcovering
- Solid-surface countertop, backsplash, and side splash with integral sink
- Hardwood baseboards
- Stall shower with door and automatic sump pump
- Storage cabinet with mirror
- Base cabinet to match interior finish with storage
- Towel bar
- Freshwater toilet
- 120 volt AC air freshener blower
- DC LED lighting
- AC duplex outlet(s) with ground fault protection
- Holding tank 3/4 full indicator lights

### Port Guest Stateroom

- Carpeting
- Fabric headliner installed on track system for service access
- Fabric covered hull side(s) and bulkhead(s) installed on track system for service access
- Crisscross berths with storage under lower berth
- HMC System 1 mattress, spread, throw pillows, pillows, pillow shams, mattress pad and sheets

### Galley

- Amtico vinyl flooring
- Fabric headliner installed on track system for service access
- Fixed frameless windows with tinted safety glass
- DC LED lighting
- AC duplex outlet(s) with ground fault protection
- Custom sofa with storage
- Throw pillows
- End table
- One club chair
- Carbon monoxide detector
- Smoke detector
- HVAC control

### Companionway

- Carpeting
- Fabric headliner installed on track system for service access
- Fabric covered hull side(s) and bulkhead(s) installed on track system for service access
- Flush panel doors with door stops to staterooms and head(s)
- Lighted stairway to galley
- DC LED lighting
- AC duplex outlet(s) with ground fault protection
- Storage cabinets outboard

### Salon


- Inlaid carpeting with 6" Amtico border
- Fabric headliner installed on track system for service access
- Privacy blinds
- Welded and polished stainless-steel two panel door (one sliding panel) to deckhouse
- Step to galley
- 37" LCD TV



### Footnotes

- (A) Right is reserved to make changes at any time, without notice, in prices, material, specifications and equipment. Orders are accepted subject to prices prevailing at time of shipment. Orders requesting any material and/or equipment which differ from that selected by Hatteras as standard or optional for this model will be considered a custom change and will require additional charges. Prices shown for many options may apply only if ordered prior to start of production. Once production begins, orders for such options may require additional charges due to non-standard installation requirements and/or lead times. In order to show equipment size and location, line drawing may include some optional items. Specifications, standard equipment and optional equipment effective with boats sold from August 1, 2009 through July 31, 2010 at Hatteras Base Prices.
- (B) Length overall does not include the optional swim platform or bow pulpit.
- (C) Weight, draft, and freeboard are based on an estimate of model's displacement with largest engines available and all tanks filled. Heights are estimated with largest engines and all tanks empty. Actual figures will vary depending on production tolerances, equipment, supplies and stores on board, as well as operational and sea conditions. Capacities of tanks are estimated to be total capacity of all tanks normally furnished in this model. Usable capacities will vary depending upon conditions.
- (D) Generator is not intended to supply power for all standard and optional accessories simultaneously. Load must be limited to generator output rating.
- (E) One set of sheets includes: one bottom sheet, one top sheet, pillowcase(s).
- (F) Option must be ordered prior to start of production. Price shown reflects cost of scheduled installation requirements. A late request for this option will require an additional charge.

## Hatteras 60MY | Optional Equipment



### Aft Deck

- Passerelle
- Retractable Shorecocks (2)
- Solid Surface Table
- Teak Table
- Transom Bustle Door
- Bustle Gates (Port and Starboard)
- Reboarding Ladder with Storage Bracket
- Hatch to Flybridge
- Handheld Shower

### Open Flybridge

- Seating on Aft Overhang (Not available with optional davit)
- Solid Surface Table
- Interior Stairs with Hatch Access to Flybridge
- Grill with Cabinet
- Air Conditioning Blowers
- Refrigerator and Ice maker

### Interior

- Optional Lower Helm
- Crew Quarters with Head
- Pantograph Forward Entry Door (Starboard)
- Tub in Lieu of Shower in Master Head
- Plexi Mirrored Ceiling in Master Head
- Portlight (Guest Stateroom)
- Washer and Dryer in Companionway
- Oven
- Ice maker
- Wine Cooler
- Dishwasher
- Appliance Fronts in Matching Wood for Refrigerator/Freezer and Dishwasher
- 19 inch LCD with DVD/Stereo in Bow Stateroom
- 19 inch LCD TV in Port Stateroom
- HMC System 3 Mattress Upgrade
- 7.0 Cubic Foot Chest Style Freezer in Utility Room

### Deck / Exterior

- Cushions for Bow Sunpad
- Boot Stripe Paint, Various Colors
- Additional Outlet for the Bow Deck Freshwater Wash Down

### Teak

- Teak Aft Deck with Natural Finish
- Teak Steps to Boat Deck
- Teak Steps to Swim Platform

### Mechanical / Electrical

- Davit with Hydraulic Boom (1,000 lb)
- Hydraulic Bow Thruster with Integrated Joystick Controlled Maneuvering System (12 Inch)
- Integrated Bow And Stern Thruster
- Bow Thruster Backup Pump
- Polyurethane Painted Engine Room
- Additional 21.5 KW Generator
- Generator Exhaust and Water Separator
- Inverter with Battery Bank
- 800 GPD Watermaker
- Oil Change System
- Prop Removal and Installation Tool
- Wiring and Thru Hulls for Future Installation of the Watermaker
- Water Delivery Kit
- Electrical System - Full 50 HZ 220V
- Electrical System - 50/60 HZ
- CE Certification

### Hardtop / Electronics

- Custom Electronics Package by HST
- Custom Hardtop by Pipewelders



# Hatteras Express Limited Warranty

Hatteras Yachts warrants to the first retail owner of its 2012/13 model year yacht ("Hatteras Yacht") that it will repair or replace defects in material or workmanship that are reported within the applicable warranty periods, subject to the remedies, exclusions, and limitations set forth below.

**Limited Ten-Year Structural Hull Warranty.** Hatteras will repair any structural fiberglass hull defect as defined below, which is reported within ten (10) years from the date of the first retail sale. The "Hull" shall mean the single fiberglass molded shell and integral structure within that shell, including stringers and related structural reinforcements, all of which are below the hull flange (i.e. gunwale). A "Structural Hull Defect" shall mean a substantial defect in the Yacht's Hull which causes the Hatteras Yacht to be unfit or unsafe for general use as a pleasure craft under normal operating conditions.

**Limited Hull Gel Coat Warranty.** Hatteras will also repair defects that result in osmosis blistering of the exterior gel coat surface of the Hull laminate at or below the waterline which is reported within five (5) years from the date of the first retail sale.

**Limited Two-Year Warranty on Specific Parts.** Hatteras will repair or replace, at its sole discretion, any parts which are defective in material or workmanship, which are not covered by either the limited warranty referenced above or excluded in *What This Limited Warranty Does Not Cover* on this page, and reported within two (2) years from the date of the first retail sale.

**Statute of Limitations.** Any action for rescission or revocation against Hatteras shall be barred unless it is commenced within two (2) years from the date of accrual of such cause of action.

**Sole Remedy.** THE REMEDY OF REPAIR OR REPLACEMENT OF PARTS THAT ARE FOUND TO BE DEFECTIVE IN FACTORY MATERIALS OR WORKMANSHIP COVERED BY THIS LIMITED WARRANTY SHALL CONSTITUTE THE OWNER'S SOLE AND EXCLUSIVE REMEDY AGAINST HATTERAS FOR ANY CLAIMS WHATSOEVER OF ECONOMIC LOSS RESULTING FROM PRODUCT FAILURE. In no event shall any repair or replacement under this limited warranty exceed the fair market value of the owner's boat as of the date of the owner's claim. The terms and conditions contained herein may not be modified, altered or waived by any action, inaction, or representations, whether oral or in writing, except upon the expressed, written authority of a management level employee of Hatteras.

**Other Limitations.** EXCEPT AS SET FORTH HEREIN, THERE ARE NO OTHER WARRANTIES EITHER EXPRESS OR IMPLIED PROVIDED BY HATTERAS ON

THIS YACHT. ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING IMPLIED WARRANTIES OF FITNESS AND MERCHANTABILITY ARE EXPRESSLY EXCLUDED. HATTERAS FURTHER DISCLAIMS ANY LIABILITY FOR ECONOMIC LOSS ARISING FROM CLAIMS OF PRODUCT FAILURE, NEGLIGENCE, DEFECTIVE DESIGN, MANUFACTURING DEFECT, FAILURE TO WARN AND/OR INSTRUCT, LACK OF SEAWORTHINESS, AND ANY OTHER THEORY OF LIABILITY NOT EXPRESSLY COVERED UNDER THE TERMS OF THIS LIMITED WARRANTY.

TO THE EXTENT REQUIRED BY LAW AN IMPLIED WARRANTY OF MERCHANTABILITY IS LIMITED TO THE DURATION OF THE RESPECTIVE EXPRESS LIMITED WARRANTIES STATED HEREIN. TO THE EXTENT ALLOWED BY LAW NEITHER HATTERAS, NOR THE SELLING DEALER, SHALL HAVE ANY RESPONSIBILITY FOR LOSS OF USE OF THE YACHT, LOSS OF TIME, INCONVENIENCE, COMMERCIAL LOSS, INCIDENTAL OR CONSEQUENTIAL DAMAGES. SOME STATES DO NOT ALLOW LIMITATIONS ON HOW LONG ANY IMPLIED WARRANTY LASTS, SO THE ABOVE LIMITATION MAY NOT BE APPLICABLE. SOME STATES DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THE ABOVE LIMITATIONS OR EXCLUSIONS MAY NOT BE APPLICABLE. THIS WARRANTY GIVES THE OWNER SPECIFIC LEGAL RIGHTS, AND THE OWNER MAY ALSO HAVE OTHER RIGHTS, WHICH VARY FROM STATE TO STATE.

RETAIL CUSTOMERS IN THE EUROPEAN UNION (EU) MAY HAVE LEGAL RIGHTS UNDER APPLICABLE NATIONAL LEGISLATION REGARDING THE SALE OF CONSUMER GOODS WHICH ARE NOT AFFECTED BY THIS LIMITED WARRANTY. THE RETAIL CUSTOMER'S LEGAL RIGHTS UNDER ANY APPLICABLE NATIONAL LEGISLATION REGARDING THE SALE OF CONSUMER GOODS SHALL NOT BE AFFECTED. Information on authorized EU dealers may be obtained by contacting Hatteras at the address or phone number listed on this page.

***What This Limited Warranty DOES NOT COVER.***

1. Any yacht, which is not owned by the first retail owner.
2. Any yacht that has been altered or modified from Hatteras factory specifications.
3. Any yacht which has been salvaged or declared a total loss or a constructive total loss for any reason not covered by this Limited Warranty.

4. Engines, transmissions, controls, propellers, batteries, appliances, other equipment, accessories, or components not manufactured by Hatteras, or which carry their own individual warranties.

5. Gelcoats, paints, varnishes, or other finishes (including cracking, crazing or discoloration) fabrics, canvas, stainless steel, or any plated finishes.

6. Osmosis blistering if the original gel surface has been altered in any way, including repair, application of any coating other than marine anti-fouling bottom paint, improper surface preparation for paint, or excessive sanding or sandblasting.

7. Any yacht which has been misused, used in a negligent manner, used for racing, used for rental, charter, military or other Commercial Purposes (Commercial Purposes, as used herein, means a yacht with more than 50% usage for business or revenue-producing purposes), operated contrary to any instructions furnished by Hatteras, or operated in violation of any Federal, State, Coast Guard or other governmental agency laws, rules or regulations.

8. Any failure or defect caused by an accident, product abuse or misuse and any other failure to provide reasonable care and maintenance to the yacht in accordance with Hatteras specifications.

9. Any representation relating to weight, draft, speed, fuel consumption or any estimated performance characteristic.

10. Loss of time, inconvenience, rental charges, travel expenses, loss of use, dockage fees, towing and storage charges, loss of or damage to personal property, or other remedies not specifically allowed.

11. Any failure or defect caused by an act of nature resulting in damage, cost, or expense.

12. Any failure or defect arising from a previous repair made by a non-authorized service provider, unless said repair was pre-approved by Hatteras.

13. Any Hatteras yacht initially sold at retail by a party other than an authorized Hatteras dealer.

14. Hatteras may change the yacht design, manufacture, standard options, or accessories without any obligation to make conforming modifications to any previously manufactured yacht.

15. Any failure or defect arising from a previous repair made by a non-authorized service provider, unless said repair was preapproved by Hatteras.

16. Any item exceeding the expressed coverage limits specified in this Limited Warranty.

17. Any defect or repair requiring redesign of the Yacht, except pursuant to the recall provisions of the United States Federal Boat Safety Act of 1971 or the recall laws of any other foreign jurisdiction.

**To Obtain Warranty Service.** You must contact an authorized Hatteras dealership within the applicable warranty period to obtain warranty service. All warranty work will be performed at an authorized dealership or at another repair facility that Hatteras selects. You are responsible for the expense associated with transporting the yacht to and from the repair facility.

1. Schedule an appointment with your Hatteras selling dealer to examine your Hatteras yacht.

2. The dealer must obtain pre-authorization from the Hatteras Service Department prior to making any repairs on your yacht. The dealer is obligated to follow any Hatteras direction for repair or replacement covered by this Limited Warranty.

3. Equipment, accessories, or components not manufactured by Hatteras Yachts, including but not limited to, engines, transmissions, generator sets, electronics, appliances and air conditioning, are subject to the applicable warranty of their manufacturer. Repair to any of these items will be handled by their authorized service dealer. Your Hatteras dealer will identify these service dealers upon request. Any assistance by Hatteras and/or its authorized dealers with regard to component warranties shall not constitute an adoption of the responsibilities of the original equipment manufacturer with regard to its warranties.

4. It is your responsibility to notify Hatteras of any boat being repaired by an authorized Hatteras dealer which has been at the dealership for fifteen (15) days, or of any claimed defect which was not corrected after one repair attempt. It is your responsibility to provide Hatteras an opportunity repair and replace on the terms of this Limited Warranty. If you are not satisfied with your service, give us notice of the problem and allow us an opportunity to resolve the issue. Any other communication necessary in connection with this warranty should be directed to:

**HATTERAS YACHTS**  
Attn: Director, Service  
110 North Glenburnie Road  
New Bern, North Carolina 28560  
252-633-3101

## Buyers Guide Footnotes

- (A) Right is reserved to make changes at any time, without notice, in prices, material, specifications and equipment. Orders are accepted subject to prices prevailing at time of shipment. Orders requesting any material and/or equipment which differ from that selected by Hatteras as standard or optional for this model will be considered a custom change and will require additional charges. Prices shown for many options may apply only if ordered prior to start of production. Once production begins, orders for such options may require additional charges due to non-standard installation requirements and/or lead times. In order to show equipment size and location, line drawing may include some optional items. Specifications, standard equipment and optional equipment effective with boats sold from August 1, 2011 through December 31, 2012 Hatteras Base Prices.

- (B) Length overall does not include the optional swim platform or bow pulpit unless specified.

- (C) Weight, draft, and freeboard are based on an estimate of model's displacement with largest engines available and all tanks filled. Heights are estimated with largest engines and all tanks empty. Actual figures will vary depending on production tolerances, equipment, supplies and stores on board, as well as operational and sea conditions. Capacities of tanks are estimated to be total capacity of all tanks normally furnished in this model. Usable capacities will vary depending upon conditions.

- (D) Generator is not intended to supply power for all standard and optional accessories simultaneously. Load must be limited to generator output rating.

- (E) One set of sheets includes: one bottom sheet, one top sheet, pillowcase(s).

- (F) Option must be ordered prior to start of production. Price shown reflects cost of scheduled installation requirements. A late request for this option will require an additional charge.



