

# 2011 Hatteras GT63

*Hatteras GT*  
SIXTY-THREE

MarineMax GT63401

## Specifications

Engines . . . . .	CAT C-32A @1900bhp	Fuel . . . . .	1930 gallons
Beam . . . . .	20'0"	Draft . . . . .	5'0"
Freshwater . . . . .	300 gallons	Holding . . . . .	150 gallons
Displacement . . . . .	101,000 lbs.	Layout . . . . .	Std
Wood . . . . .	Cherry satin	Décor . . . . .	Custom

MSRP \$ 4,036,003

**Boat Show Special Pricing \$ 3,195,000**



Fuel & Delivery

## Standards

### Exterior Finish/Construction

- Isophthalic gelcoat, exterior layer
- Blister-resistant vinylester resin in hull bottom skin coat
- Hull and superstructure linear polyester/polyurethane coating
- Polymer/copper-based anti-fouling bottom paint
- Boot stripe, linear polyester/polyurethane coating
- Decks, non-skid surface, polyurethane paint with polymeric beads,
- Solid fiberglass, resin-infused hull bottom
- Hull sides and superstructure laminated with PVC foam core
- Resin infused Fiberglass stringers
- Steel laminated in stringers at key locations to bolt engine mounts
- Engine room bulkheads and decks of resin-infused composite construction using PVC foam core
- Painted black mask

### Hardware & Miscellaneous

- Wood bulkheads, cabinetry and trim with a satin polyester finish in cherry or African mahogany
- All hardware in satin nickel
- Fortress FX-55 anchor, anchor line and hawse pipe
- Four polished stainless-steel spring line cleats with chafing strips, through bolted in aluminum backing plate
- Polished stainless-steel bow cleats and chocks with chafing strips, through-bolted in aluminum backing plate
- Two polished stainless-steel stern cleats and hawse pipes, through-bolted in aluminum backing plate
- Polished anodized welded aluminum rails on bow, side-deck and flybridge, drilled and tapped in aluminum backing plates
- Fog bell
- Dual air horns
- Zincs on rudders and shafts
- Black braided nylon mooring lines (6)
- Alloy 22 high-strength propeller shafts
- Manganese bronze dripless rudder seals
- Dripless shaft seals with spare seals
- Life jackets (8)
- Life ring
- Portable "drychem" fire extinguishers (4), U.L. approved type in compliance with United States Coast Guard and ABYC standards
- Stainless-steel trim tabs
- Manganese bronze struts
- Stainless-steel rudders
- Propellers, Nibral high performance
- Reboarding steps to cockpit
- Holding tank with sewage pump and overboard discharge
- Black fenders (3)
- Deck plates for fuel and water fills and waste pump out
- Anchor locker on bow deck

## Optional/Custom Equipment

- GT design series interior to include raised panel doors, wood dinette table and upgraded hardware
- Install wiring for later installation of Windlass, without pulpit
- Bow deck freshwater wash down, add'l outlet
- Water delivery kit
- Boot top color – Cloud White
- Hull color – stars & stripes blue and cloud white



# 2011 Hatteras GT63

MarineMax GT63401

*Hatteras GT*  
SIXTY-THREE



## Flybridge

- Systems monitor with programmable logic controller readout, visual and audible signals for engine, high bilge water, fire warning in engine compartment, fire extinguisher discharge, AC power loss, smoke detectors, battery voltage, 3/4 full holding tank monitor, and carbon monoxide detectors
- Molded fiberglass bridge
- Icom VHF, Furuno RD30 depth and temp
- Polished anodized welded aluminum rails and stanchions
- Two bench seats with removable vinyl-covered polyfoam cushions and storage underneath
- Control station with all necessary switches and dimmable lighted instrument panel
- Compass with dimmable light
- Pod console with custom wheel and single-lever clutch and throttle controls (electronic) with emergency back-up, engine synchronization, and trolling valve control switches
- Hydraulic power-assisted steering
- Two (2) Adjustable helmchair
- DC AM/FM stereo receiver with CD player and speakers
- Neutral interlock switches allowing engine to start in neutral only
- Fuel level gauges
- Rod storage space under port and starboard benches
- Top-loading insulated drink box
- Additional storage areas beneath seat(s) and console
- Powder-coated grab rails

## Electrical Systems

- Two 24 volt banks of heavy-duty, 12 volt marine batteries mounted in fire retardant fiberglass boxes
- U.L. 1426 listed boat cable, tin-coated with insulation
- 240-volt automatic/programmable battery charger, 50/60 Hz
- Automatic battery paralleling system with switch at control console
- One 240 volt, 50 amp, retractable shore cord with over-current protection (cockpit)
- One 240 volt, 50 amp, shore cord inlet with cord
- AC and DC LED lights and fixtures
- AC duplex outlets with ground fault protection
- Battery control panels with fuses and isolation switches
- DC electronics panel with magnetic circuit breakers (flybridge)
- AC and DC distribution panels with magnetic circuit breakers
- AC switching panel with source selector switches, volt meter, ammeter, frequency meter, generator start/stop controls, and distribution panel selector switches
- Navigation lights
- Ground fault protection on AC receptacles and AC lighting circuits
- Air conditioning, 58,000 BTU's, with reverse-cycle heating
- TV antenna, omni-directional
- Ventilation fans in attic space

## Optional/Custom Equipment

- Receptacle, sheltered weatherproof, 120V duplex, under helm
- Open Flybridge freezer, 8 cubic ft top loading
- Install Pompanette supplied bridge bench seats ladder backs, qty 2 in lieu of std Murray
- High Seas Technology custom electronics package
- Pipewelders Custom tuna tower



# 2011 Hatteras GT63

MarineMax GT63401

*Hatteras GT*  
SIXTY-THREE

## Engine Compartment & Bilge

- Pultruded fiberglass rudder shelf
- AC fluorescent lights
- DC lights
- DC bilge blower
- Twin diesel, freshwater-cooled main engines with electrically controlled marine gears, neutral interlocks, exhaust silencers, engine hour meters, alternators, fuel filters and seawater strainers
- FM200 fixed fire extinguishing system for engine compartment with automatic and remote manual controls, plus audible and visual discharge signals
- One 21.5kW freshwater-cooled Electronic Quiet Diesel Onan generator(D) with shock mounts, seawater strainer, remote start, fuel/water separator, hour meter, exhaust water separator and sound enclosure.
- Polyethylene water lines
- Freshwater connection
- AC compressed air system with air line and regulator
- 24-volt DC bilge and sump pumps: three at 3700 gph, one at 500 gph, with heavy duty float switches and protective guards
- Auxiliary emergency bilge pump, 150 gpm in lazarette
- Bronze/chrome-plated ball-valves through-bolted in solid fiberglass on all underwater through hull fittings with electrical bonding throughout
- Pressurized 230 volt AC freshwater pump
- 230-volt AC 30-gallon electric water heater
- Integral fiberglass fuel tank constructed with fireretardant resin and bronze fittings, and coated with fire-retardant paint
- Polyethylene water tank
- Polyethylene sewage holding tank with 24 volt DC sewage pump, plumbed for dockside pump-out with 3/4 full display and alarm as part of systems monitor programmable logic controller
- 110-volt AC reversible oil changing system for engines, gear and generator with Hatteras patented quick disconnect
- U.L. Marine-listed fuel filter/water separator, generator
- Sealed shower sumps
- U.L. Marine-listed duplex fuel filters/water separators, engines
- Electric fuel priming pumps, engines
- Powder coated grab rails
- Painted polyurethane engine room and bilges
- Air conditioning compressors and pumps
- United States Coast Guard type A1 U.L. Marine-listed fuel lines
- Isolated discharge sea chest
- 1" stainless-steel steering tie bar with pivoting selfaligning ball joint connection at all cylinder and tie bar connections
- Insulation in deck
- Pick-up sea chests
- DC voltmeter in battery panel
- Start / stop switches and hour meter
- Rubber deck mat between engines
- Transducer well, glycol filled

## Optional/Custom Equipment

- Generator, 21.5KW. add'l
- Watermaker – 1400 GPD with pre-filter, uv filter and fresh water rinse

## Cockpit

- Molded fiberglass, 173 square feet including mezzanine with seating
- Seating with cushions across upper mezzanine
- Polished anodized aluminum ladder to flybridge with acrylic steps
- Transom door
- Fiberglass cockpit boarding step box with storage
- Sliding glass door to deckhouse
- Stereo speakers with volume control
- DC LED overhead lights under flybridge overhang
- Molded-in grab rails on cabinside
- Hatch with chrome plated brass lock to engine compartment
- Freshwater wash down outlet
- Shore water connection with pressure-reducing valve
- Bait and Tackle Center with 3 drawers, cutting board, and gaff storage covered by door
- Bait freezer, 8.0 cubic-foot
- Insulated storage box in mezzanine
- Insulated storage tub
- Two 60-inch fish boxes with macerator, flush in deck
- Storage in steps to deckhouse with chill box in top step
- Lazarette access through hatch
- Aluminum mounting plate laminated in deck for fighting chair
- Polished stainless-steel rod holders, flush mount-set of 4
- Transom hawsers
- Scuppers in cockpit and cockpit hatches
- Molded-in transom fish box

## Optional/Custom Equipment

- Cockpit coaming lights
- Cockpit transom fishbox with recirculating livewell
- Cockpit chipped ice machine, Eskimo, one outlet only
- Cockpit wing board Pompanette rod holders, 6 each
- Install Two 6 series White Gen 2 Aqualuma underwater lights
- Install Pompanette supplied fighting chair
- Cockpit mezzanine cushions
- Full teak package – Cockpit pkg items plus salon entry door, bow deck tow rail, FB teak accent strip and FB teak helm pod



# 2011 Hatteras GT63

MarineMax GT63401

**Hatteras GT**  
SIXTY-THREE

## Salon & Galley

### Salon

- Carpeting
- Fabric headliner with wood accents installed on track system for service access
- Sliding glass door to cockpit
- 42" LCD TV with omni-directional antenna
- Bose Lifestyle 35 home theater with AM/FM, CD/DVD, and surround sound speakers
- Icemaker
- Fixed frameless windows with tinted safety glass
- DC LED lighting
- DC dimmable lights
- AC duplex outlet(s) with ground fault protection
- L-shaped lounge with rod storage, loose cushions, arm rests and double needle stitching
- Throw pillows
- Air conditioning dispersed through wood valances, port and starboard
- Carbon monoxide detector
- Smoke detector
- SMX HVAC compartment controlled
- Polished stainless-steel threshold at salon door

### Galley/Dinette

- Amtico vinyl flooring
- Fabric headliner installed on track system for service access
- Fixed frameless windows with tinted safety glass
- Microwave/convection oven covered by cabinet door
- DC LED lighting
- DC Dimmable Lights
- AC duplex outlet(s) with ground fault protection
- Genuine wood inserts to match interior finish on appliance fascia
- Dinette with storage underneath and solid-surface table with stainless steel pedestal
- Solid-surface countertops with sink and storage cabinets made of finished wood
- AC undercounter refrigerator and freezer drawer units (2)
- AC four-burner ceramic cooktop
- One-half hp continuous feed garbage disposal
- Air conditioning disbursement through valances, port and starboard
- Two (2) Bar stools

### Optional/Custom Equipment

- Salon bar stool upgrade, pair with footrests
- Salon aft entry pneumatic sliding door
- Galley – Third unit, undercounter appliances
- Flooring at salon door – Amtico Teak beveled planks
- Galley countertops and full size backsplash, excluding dinette – by Coastal Countertops (Golden Beach)
- Custom décor – salon/dinette throw pillows, Salon/Galley bar stool upholstery



# 2011 Hatteras GT63

MarineMax GT63401

*Hatteras GT*  
SIXTY-THREE

## Staterooms & Heads

### Master Stateroom

- Carpeting
- Fabric headliner installed on track system for service access
- Fabric covered hullside(s) and bulkhead(s) installed on track system for service access
- Queen-sized tapered berth with upholstered headboard and cedar-lined storage underneath accessed via pneumatic cylinders
- Upholstered berth base
- HMC System 1 mattress, spread, throw pillows, pillows, pillow shams, mattress pad and sheets(E)
- Cedar-lined hanging lockers with doors and automatic light
- Nightstands with drawers
- Dresser with drawers
- 32" LCD TV
- Bose 3-2-1 GS with AM/FM and DVD/CD w/speakers
- Full-length mirror
- DC LED lighting
- DC dimmable lights
- DC low-voltage lights under berth
- AC duplex outlet(s) with ground fault protection
- Private access to head
- Smoke detector
- Carbon monoxide detector
- Air conditioning dispersed through wood valance
- SMX HVAC compartment controlled

### Port Guest Stateroom (Aft)

- Carpeting
- Fabric headliner installed on track system for service access
- Fabric covered hullside(s) and bulkhead(s) installed on track system for service access
- Over under berths with upper pullman berth, storage under lower berth.
- Upholstered berth base
- HMC System 1 mattresses, spreads, pillows, pillow shams, mattress pads and sheets(E)
- Double cedar-lined hanging lockers with door and automatic light
- Full-length mirror
- DC LED lighting
- AC duplex outlet(s) with ground fault protection
- Smoke detector
- Carbon monoxide detector
- SMX HVAC compartment controlled

### Guest Stateroom (Fwd)

- Carpeting
- Fabric headliner installed on track system for service access
- Fabric covered hullside(s) and bulkhead(s) installed on track system for service access
- Upper/lower berths with storage under lower berth
- Upholstered berth base
- HMC System 1 mattresses, spreads, pillows, pillow shams, mattress pads and sheets(E)
- Cedar-lined hanging locker with door and automatic light
- Full-length mirror
- DC LED lighting
- AC duplex outlet(s) with ground fault protection



## 2011 Hatteras GT63

MarineMax GT63401

*Hatteras GT*  
SIXTY-THREE

### Bow Guest Stateroom

- Carpeting
- Fabric headliner installed on track system for service access
- Fabric covered hullside(s) and bulkhead(s) installed on track system for service access
- Queen-sized tapered berth with upholstered headboard and cedar-lined storage underneath accessed via pneumatic cylinders
- Upholstered berth base
- HMC System 1 mattress, spread, throw pillows, pillows, pillow shams, mattress pad and sheets(E)
- Cedar-lined hanging/storage lockers with automatic light
- Nightstands, port and starboard
- DC AM/FM stereo receiver with CD player and speakers
- Full-length mirror
- DC LED lighting
- AC duplex outlet(s) with ground fault protection
- Private access to head
- Smoke detector
- Carbon monoxide detector
- SMX HVAC compartment controlled
- Screened overhead hatch with privacy cover

### Optional/Custom Equipment

- Bow Stateroom overhead lockers
- Custom décor – Master head towel ring, robe hook, Port guest head towel ring, robe hook, Bow Guest head towel ring, robe hook
- Companionway flooring – Teak plans with beveled edges
- Companionway, upper, WhisperWall
- Custom décor – Master SR headboard, throw pillows, forward bulkhead, 2 sconces, Bow SR headboard, throw pillow, Port aft stateroom bunkcovers, pillow shams, berth keepers, throw pillows, Port fwd SR bunkcovers, pillow shams, berth keepers
- Master and Bow Staterooms – HMC Mattress, System 3, Queen
- Carpet runners – Companionway and 4 steps

### Companionway

- Carpeting
- Fabric headliner installed on track system for service access
- Fabric covered hullside(s) and bulkhead(s) installed on track system for service access
- Flush-panel wood doors to master stateroom, guest stateroom and guest head
- Steps to salon
- DC LED lighting
- Access to port & starboard storage, electric panels, and electric water tank gauge with DC light
- AC duplex outlet(s) with ground fault protection
- Washer/dryer
- Wainscoting



## 2011 Hatteras GT63

MarineMax GT63401

*Hatteras GT*  
SIXTY-THREE



### Master Head

- Amtico vinyl flooring
- Fabric headliner installed on track system for service access
- Wallcovering
- Solid-surface countertop, backsplash, and side splash with integral sink
- Hardwood baseboards
- Stall shower with door and automatic sump pump
- Storage cabinet with mirror above sink
- Base cabinet with storage
- Towel bar
- Headhunter freshwater toilet
- 120 volt AC air freshener blower
- DC LED lighting
- AC duplex outlet(s) with ground fault protection
- Plexi mirror around upper cabinet
- Air conditioning discharge
- Holding tank 3/4 full indicator lights

### Guest Head(s)

- Amtico vinyl flooring
- Fabric headliner installed on track system for service access
- Wallcovering
- Solid-surface countertop, backsplash, and side splash with integral sink
- Hardwood baseboards
- Stall shower with door and automatic sump pump
- Storage cabinet with mirror above sink
- Base cabinet to match interior finish with storage
- Towel bar
- Headhunter freshwater toilet
- 120V AC air freshener blower
- DC LED lighting
- AC duplex outlet(s) with ground fault protection
- Plexi-mirror around upper cabinet
- Air conditioning discharge
- Holding tank 3/4 full indicator lights



### Optional/Custom Equipment

- Master, port and Bow heads - plexi mirrored ceiling
- Master head countertop and backsplash– Coastal Countertops Emperador Dark Brown
- Port head and Bow head countertops – Coastal Countertops Crema Marfil
- Custom décor – Master head wallcovering, Bow head wallcovering, Port head wallcovering,



## 2011 Hatteras GT63

MarineMax GT63401

*Hatteras GT*  
SIXTY-THREE

### HIGH SEAS TECHNOLOGY PACKAGE

Furuno: DRS25A 25KW Radar Transceiver  
Furuno: 6' Open Array Antenna  
VEI: 15" LED Series Super Sunlight Radar Display  
Furuno: MFDBB Navnet 3D BB Processor  
Furuno: Navnet Sirius Satellite Weather  
Furuno: FA50 Black Box AIS Transponder  
Furuno: DFF3 External BB Network Sounder  
Furuno: R299ID-IHN Transducer  
Night Vision: Oceanview: Apollo Thermal Image Camera  
Spot Light: ACR: RCL-100D 24V Remote Control Searchlight  
Engine Room: Raymarine CAM100 Day/Night Marine Camera

VEI: 15" LED Series Super Sunlight Sounder Display  
Furuno: MFDBB Navnet 3D BB Processor GPS Plotter  
VEI: 15" LED Series Super Sunlight GPS Display  
Newmar: 32-12-50 DC Converter Power Supply  
Simrad: Basic Autopilot System  
ICOM: M604 VHF Radio 2nd VHF  
KVH: Tracvision m7 US SAT TV System  
Hatteras: 42950A Breaker Panel  
Furuno: MFD8 Navnet 3D Chartplotter  
Tower Autopilot: Simrad AP24 Second Station

### PIPEWELDERS PACKAGE

Tuna Tower Molded 60-64'  
Tower Sunshade 60" Molded  
Control Box Low Pro Style  
Controls & Steering  
LED Tri-Color Platform Light Installed  
Flood Light LED  
One Piece Molded Standing Platform 60-69  
Seacrylic Curtain Enclosure 60--60

Radar Box On Hardtop  
Instrument Box  
Teaser Reel Bracket & Sliding Door  
(2) Teaser Reels Super  
Outrigger 44'4" Spreader Super Riggers  
Hydraulic Outrigger Hydro-Rigger  
Hydro-Lock Outrigger Locking System  
Install Hydro Riggers  
Upgrade ladder treads to teak steps

