

# Hatteras GT

## SIXTY

The new Hatteras GT60 takes its exterior design cues from the current 60, but a newly redesigned cockpit and a touch of panache added to the overall design give this 60 a unique style of her own. The interior accommodations found in the GT60 are not only more open, but are designed with a level of sophistication not often found in a convertible. Larger window framing allows for better views, and beautifully combined wall coverings and exotic woods create a more open layout while continuing to provide a warm and luxurious environment.

### SPECIFICATIONS

Length Overall	59'10"	18.20 meters
Length Overall with Bow Pulpit	62'2"	18.95 meters
Beam	19'0"	5.78 meters
Draft	4'9"	1.44 meters
Draft Enclosed Bridge	4'10"	1.47 meters
Freeboard Forward	7'8"	2.34 meters
Freeboard Aft	3'0"	0.88 meters
Headroom Most Areas	6'6"	1.98 meters
Freshwater Capacity	200 gallons	757 liters
Fuel Capacity	1,500 gallons	5,678 liters
Additional Fuel	250 gallons	946 liters
Holding Capacity	100 gallons	378 liters
Weight Displacement	87,000 pounds	39,462 kilos
Height Above Waterline to:		
– Top of Flybridge (C)	15'	4.57 meters
– Top of Enclosed Flybridge (C)	18'9"	5.18 meters
Waterline Length	51'11"	15.62 meters



### ENGINE OPTIONS

Twin CAT C32A Diesel Engines	1600 BHP
Twin CAT C32A Diesel Engines	1800 BHP
Twin CAT C32A Diesel Engines	1900 BHP



## Exterior Finish/Construction

- Isophthalic gelcoat, exterior layer
- Blister-resistant vinylester resin in hull bottom skin coat
- Hull and superstructure linear polyester/polyurethane coating
- Polymer/copper-based anti-fouling bottom paint
- Boot stripe, linear polyester/polyurethane coating
- Decks, non-skid surface, polyurethane paint with polymeric beads
- Solid fiberglass, resin-infused hull bottom
- Hull sides and superstructure laminated with PVC foam core
- Resin infused Fiberglass stringers
- Steel laminated in stringers at key locations to bolt engine mounts
- Engine room bulkheads and decks of resin-infused composite construction using PVC foam core
- Painted black mask

## Hardware & Miscellaneous

- Wood bulkheads, cabinetry and trim with a satin polyester finish in cherry or African mahogany
- All hardware in satin nickel
- Fortress FX-55 anchor, anchor line and hawse pipe
- Four polished stainless-steel spring line cleats with chafing strips, through bolted in aluminum backing plate
- Polished stainless-steel bow cleats and chocks with chafing strips, through-bolted in aluminum backing plate
- Two polished stainless-steel stern cleats and hawse pipes, through-bolted in aluminum backing plate
- Polished anodized welded aluminum rails on bow, side-deck and flybridge, drilled and tapped in aluminum backing plates
- Fog bell
- Dual air horns
- Zincs on rudders and shafts
- Black braided nylon mooring lines (6)
- Alloy 22 high-strength propeller shafts
- Manganese bronze driplless rudder seals
- Driplless shaft seals with spare seals
- Life jackets (8)
- Life ring
- Portable "drychem" fire extinguishers (4), U.L. approved type in compliance with United States Coast Guard and ABYC standards
- Stainless-steel trim tabs
- Manganese bronze struts
- Stainless-steel rudders
- Propellers, Nibral high performance
- Reboarding steps to cockpit
- Holding tank with sewage pump and overboard discharge
- Black fenders (3)
- Deck plates for fuel and water fills and waste pump out
- Anchor locker on bow deck

## Engine Compartment & Bilge

- Pultruded fiberglass rudder shelf
- AC fluorescent lights
- DC lights
- DC bilge blower
- Twin diesel, freshwater-cooled main engines with electrically controlled marine gears, neutral interlocks, exhaust silencers, engine hour meters, alternators, fuel filters and seawater strainers
- FM200 fixed fire extinguishing system for engine compartment with automatic and remote manual controls, plus audible and visual discharge signals
- One 21.5kW freshwater-cooled Electronic Quiet Diesel Onan generator(D) with shock mounts, seawater strainer, remote start, fuel/water separator, hour meter, exhaust water separator and sound enclosure.
- Polyethylene water lines
- Freshwater connection
- AC compressed air system with air line and regulator
- 24-volt DC bilge and sump pumps: three at 3700 gph, one at 500 gph, with heavy duty float switches and protective guards
- Auxiliary emergency bilge pump, 150 gpm in lazarette
- Bronze/chrome-plated ball-valves through-bolted in solid fiberglass on all underwater through hull fittings with electrical bonding throughout
- Pressurized 230 volt AC freshwater pump
- 230-volt AC 30-gallon electric water heater
- Integral fiberglass fuel tank constructed with fire-retardant resin and bronze fittings, and coated with fire-retardant paint
- Polyethylene water tank
- Polyethylene sewage holding tank with 24 volt DC sewage pump, plumbed for dockside pump-out with 3/4 full display and alarm as part of systems monitor programmable logic controller
- 110-volt AC reversible oil changing system for engines, gear and generator with Hatteras patented quick disconnect
- U.L. Marine-listed fuel filter/water separator, generator
- Sealed shower sumps
- U.L. Marine-listed duplex fuel filters/water separators, engines
- Electric fuel priming pumps, engines
- Powder coated grab rails
- Painted polyurethane engine room and bilges
- Air conditioning compressors and pumps
- United States Coast Guard type A1 U.L. Marine-listed fuel lines
- Isolated discharge sea chest
- 1" stainless-steel steering tie bar with pivoting self-aligning ball joint connection at all cylinder and tie bar connections
- Insulation in deck
- Pick-up sea chests
- DC voltmeter in battery panel
- Start / stop switches and hour meter
- Rubber deck mat between engines
- Transducer well, glycol filled

## Electrical Systems

- Two 24 volt banks of heavy-duty, 12 volt marine batteries mounted in fire retardant fiberglass boxes
- U.L. 1426 listed boat cable, tin-coated with insulation
- 240-volt automatic/programmable battery charger, 50/60 Hz
- Automatic battery paralleling system with switch at control console
- One 240 volt, 50 amp, retractable shore cord with over-current protection (cockpit)
- One 240 volt, 50 amp, shore cord inlet with cord
- AC and DC LED lights and fixtures
- AC duplex outlets with ground fault protection
- Battery control panels with fuses and isolation switches
- DC electronics panel with magnetic circuit breakers (flybridge)
- AC and DC distribution panels with magnetic circuit breakers
- AC switching panel with source selector switches, volt meter, ammeter, frequency meter, generator start/stop controls, and distribution panel selector switches
- Navigation lights
- Ground fault protection on AC receptacles and AC lighting circuits
- Air conditioning, 52,000 BTU's, with reverse-cycle heating
- TV antenna, omni-directional
- Ventilation fans in attic space

## Flybridge

- Systems monitor with programmable logic controller readout, visual and audible signals for engine, high bilge water, fire warning in engine compartment, fire extinguisher discharge, AC power loss, smoke detectors, battery voltage, 3/4 full holding tank monitor, and carbon monoxide detectors
- Molded fiberglass bridge
- Icom VHF, Furuno RD30 depth and temp
- Polished anodized welded aluminum rails and stanchions
- Two bench seats with removable vinyl-covered polyfoam cushions and storage underneath
- Control station with all necessary switches and dimmable lighted instrument panel
- Compass with dimmable light
- Pod console with custom wheel and single-lever clutch and throttle controls (electronic) with emergency back-up, engine synchronization, and trolling valve control switches
- Hydraulic power-assisted steering
- Adjustable helmchair
- DC AM/FM stereo receiver with CD player and speakers
- Neutral interlock switches allowing engine to start in neutral only
- Fuel level gauges

[Continued from Last Page]

- Rod storage space under port and starboard benches
- Top-loading insulated drink box
- Additional storage areas beneath seat(s) and console
- Powder-coated grab rails

### Optional Enclosed Flybridge (F)

- Systems monitor with programmable logic controller readout, visual and audible signals for engine, alternator, high bilge water, fire warning in engine compartment, fire extinguisher discharge, AC power loss, smoke detectors, battery voltage, 3/4 full holding tank monitor, and carbon monoxide detectors
- Molded Fiberglass
- Icom VHF, Furuno RD30 depth and temp
- Polished anodized welded aluminum ladder, cockpit to bridge deck
- Elevated L-shaped lounge with rod storage
- Adjustable Pompanette helmsman seat at forward station, pedestal mount
- Riding seats, port and starboard
- Fixed frameless windows and windshield with safety glass
- Intermittent electric windshield wipers/washers with controls
- Forward control station with all necessary switches, dimmable lighted instruments, single-lever clutch and throttle controls (electronic) with engine synchronizer emergency back-up, hydraulic power-assisted steering, compass and electric trolling valve control switches
- Pod style aft control with start/stop switches, single-lever clutch and throttle controls (electronic), hydraulic power-assisted steering and tachometers
- Carpeting
- Dry bar with combination refrigerator/icemaker and storage below
- DC AM/FM stereo receiver with CD player and speakers
- AC duplex outlet(s) with ground fault protection
- Fabric headliner installed on track system for service access
- Carbon monoxide detector
- Smoke detector
- Air conditioning discharge port and starboard
- Defogger
- Sliding door to deck
- DC low level lights
- SMX HVAC compartment controlled
- Polished anodized welded aluminum rails and stanchions
- Fuel level gauges

### Cockpit

- Molded fiberglass, 153 square feet including mezzanine with seating
- Seating with cushions across upper mezzanine
- Polished anodized aluminum ladder to flybridge with acrylic steps
- Transom door
- Fiberglass cockpit boarding step box with storage
- Sliding glass door to deckhouse

- Stereo speakers with volume control
- DC LED overhead lights under flybridge overhang
- Molded-in grab rails on cabinside
- Hatch with chrome plated brass lock to engine compartment
- Freshwater wash down outlet
- Shore water connection with pressure-reducing valve
- Bait and Tackle Center with 3 drawers, cutting board, and gaff storage covered by door
- Bait freezer, 8.0 cubic-foot
- Insulated storage box in mezzanine
- Insulated storage tub
- Two 60-inch fish boxes with macerator, flush in deck
- Storage in steps to deckhouse with chill box in top step
- Lazzaretto access through hatch
- Aluminum mounting plate laminated in deck for fighting chair
- Polished stainless-steel rod holders, flush mount-set of 4
- Transom hawsers
- Scuppers in cockpit and cockpit hatches

### Interior Wood Selections

- Flat panel cabinetry, mahogany or cherry with satin finish

### Galley/Dinette

- Amtico vinyl flooring
- Fabric headliner installed on track system for service access
- Fixed frameless windows with tinted safety glass
- Microwave/convection oven covered by cabinet door
- DC LED lighting
- DC Dimmable Lights
- AC duplex outlet(s) with ground fault protection
- Genuine wood inserts to match interior finish on appliance fascia
- Dinette with storage underneath and solid-surface table with stainless steel pedestal
- Solid-surface countertops with sink and storage cabinets made of finished wood
- AC undercounter refrigerator and freezer drawer units (2)
- AC four-burner ceramic cooktop
- One-half hp continuous feed garbage disposal (*n/a on 4 stateroom arrangement*)
- Air conditioning disbursement through valances, port and starboard
- (2) Bar stools

### Salon

- Carpeting
- Fabric headliner with wood accents installed on track system for service access
- Sliding glass door to cockpit
- 42" LCD TV with omni-directional antenna
- Bose Lifestyle 35 home theater with AM/FM, CD/DVD, and surround sound speakers

- Icemaker
- Fixed frameless windows with tinted safety glass
- DC LED lighting
- DC dimmable lights
- AC duplex outlet(s) with ground fault protection
- L-shaped lounge with rod storage, loose cushions, arm rests and double needle stitching
- Throw pillows
- Air conditioning dispersed through wood valances, port and starboard
- Carbon monoxide detector
- Smoke detector
- SMX HVAC compartment controlled
- Polished stainless-steel threshold at salon door

### Companionway

- Carpeting
- Fabric headliner installed on track system for service access
- Fabric covered hullside(s) and bulkhead(s) installed on track system for service access
- Flush-panel wood doors to master stateroom, guest stateroom and guest head
- Steps to salon
- DC LED lighting
- Access to port & starboard storage, electric panels, and electric water tank gauge with DC light
- AC duplex outlet(s) with ground fault protection
- Washer/dryer
- Wainscoting

### Master Stateroom

- Carpeting
- Fabric headliner installed on track system for service access
- Fabric covered hullside(s) and bulkhead(s) installed on track system for service access
- Queen-sized tapered berth with upholstered headboard and cedar-lined storage underneath accessed via pneumatic cylinders
- Upholstered berth base
- HMC System 1 mattress, spread, throw pillows, pillows, pillow shams, mattress pad and sheets(E)
- Cedar-lined hanging lockers with doors and automatic light
- Nightstands with drawers
- Dresser with drawers
- 32" LCD TV
- Bose 3-2-1 GS with AM/FM and DVD/CD w/speakers
- Full-length mirror
- DC LED lighting
- DC dimmable lights
- DC low-voltage lights under berth
- AC duplex outlet(s) with ground fault protection
- Private access to head
- Smoke detector
- Carbon monoxide detector
- Air conditioning dispersed through wood valance
- SMX HVAC compartment controlled

[Continued Next Page]

[Continued from Last Page]

## Bow Guest Stateroom

- Carpeting
- Fabric headliner installed on track system for service access
- Fabric covered hullside(s) and bulkhead(s) installed on track system for service access
- Queen-sized tapered berth with upholstered headboard and cedar-lined storage underneath accessed via pneumatic cylinders
- Upholstered berth base
- HMC System 1 mattress, spread, throw pillows, pillows, pillow shams, mattress pad and sheets(E)
- Cedar-lined hanging/storage lockers with automatic light
- Nightstands, port and starboard
- DC AM/FM stereo receiver with CD player and speakers
- Full-length mirror
- DC LED lighting
- AC duplex outlet(s) with ground fault protection
- Private access to head
- Smoke detector
- Carbon monoxide detector
- SMX HVAC compartment controlled
- Screened overhead hatch with privacy cover

## Optional Bow Guest Stateroom (F)

- Carpeting
- Fabric headliner installed on track system for service access
- Fabric covered hullside(s) and bulkhead(s) installed on track system for service access
- Double sized berth to port and single sized berth to starboard, with storage underneath
- Upholstered berth base
- HMC System 1 mattresses, spreads, throw pillows, pillows, pillow shams, mattress pads and sheets(E)
- DC AM/FM stereo receiver with CD player and speakers
- Full-length mirror
- DC LED lighting
- AC duplex outlet(s) with ground fault protection
- Private access to head
- Smoke detector
- Carbon monoxide detector
- SMX HVAC compartment controlled
- Screened overhead hatch with privacy cover
- Storage port and starboard

## Starboard Guest Stateroom

- Carpeting
- Fabric headliner installed on track system for service access
- Fabric covered hullside(s) and bulkhead(s) installed on track system for service access
- Over under berths with storage under lower berth.
- Upholstered berth base
- HMC System 1 mattresses, spreads, pillows, pillow shams, mattress pads and sheets(E)

- Double cedar-lined hanging lockers with door and automatic light
- Full-length mirror
- DC LED lighting
- AC duplex outlet(s) with ground fault protection
- Private access to head
- Smoke detector
- Carbon monoxide detector
- SMX HVAC compartment controlled

## Optional Fourth Stateroom (F)

- Carpeting
- Fabric headliner installed on track system for service access
- Fabric covered hullside(s) and bulkhead(s) installed on track system for service access
- Upper/lower berths with storage under lower berth
- Upholstered berth base
- HMC System 1 mattresses, spreads, pillows, pillow shams, mattress pads and sheets(E)
- Cedar-lined hanging locker with door and automatic light
- Full-length mirror
- DC LED lighting
- AC duplex outlet(s) with ground fault protection
- Smoke Detector
- Carbon monoxide detector
- SMX HVAC compartment controlled

## Master Head

- Amtico vinyl flooring
- Fabric headliner installed on track system for service access
- Wallcovering
- Solid-surface countertop, backsplash, and side splash with integral sink
- Hardwood baseboards
- Stall shower with door and automatic sump pump
- Storage cabinet with mirror above sink
- Base cabinet with storage
- Towel bar
- Headhunter freshwater toilet
- 120 volt AC air freshener blower
- DC LED lighting
- AC duplex outlet(s) with ground fault protection
- Plexi mirror around upper cabinet
- Air conditioning discharge
- Holding tank 3/4 full indicator lights

## Guest Head(s)

- Amtico vinyl flooring
- Fabric headliner installed on track system for service access
- Wallcovering
- Solid-surface countertop, backsplash, and side splash with integral sink
- Hardwood baseboards
- Stall shower with door and automatic sump pump
- Storage cabinet with mirror above sink
- Base cabinet to match interior finish with storage

- Towel bar
- Headhunter freshwater toilet
- 120V AC air freshener blower
- DC LED lighting
- AC duplex outlet(s) with ground fault protection
- Plexi-mirror around upper cabinet
- Air conditioning discharge
- Holding tank 3/4 full indicator lights

## Footnotes

- (A) Right is reserved to make changes at any time, without notice, in prices, material, specifications and equipment. Orders are accepted subject to prices prevailing at time of shipment. Orders requesting any material and/or equipment which differ from that selected by Hatteras as standard or optional for this model will be considered a custom change and will require additional charges. Prices shown for many options may apply only if ordered prior to start of production. Once production begins, orders for such options may require additional charges due to non-standard installation requirements and/or lead times. In order to show equipment size and location, line drawing may include some optional items. Specifications, standard equipment and optional equipment effective with boats sold at August 1, 2008 through July 31, 2009 Hatteras Base Prices.
- (B) Length overall does not include the optional swim platform or bow pulpit.
- (C) Weight, draft, and freeboard are based on an estimate of model's displacement with largest engines available and all tanks filled. Heights are estimated with largest engines and all tanks empty. Actual figures will vary depending on production tolerances, equipment, supplies and stores on board, as well as operational and sea conditions. Capacities of tanks are estimated to be total capacity of all tanks normally furnished in this model. Usable capacities will vary depending upon conditions.
- (D) Generator is not intended to supply power for all standard and optional accessories simultaneously. Load must be limited to generator output rating.
- (E) One set of sheets includes: one bottom sheet, one top sheet, pillowcase(s).
- (F) Option must be ordered prior to start of production. Price shown reflects cost of scheduled installation requirements. A late request for this option will require an additional charge.

**ARRANGEMENTS**

**Standard Flybridge  
Arrangement**



**Optional Flybridge  
Arrangement**



**Standard Three-Stateroom /  
Three-Head Arrangement**



**Optional  
Four-Stateroom / Three-Head  
Arrangement**



**Optional  
Bow V Berth  
Arrangement**



**Optional Arrangement  
Galley-Down  
w/Bow Crew**



**Standard Enclosed  
Arrangement**

