



ARRANGEMENTS



**Standard
Flybridge
Arrangement**



**Standard
Upper Deck
Arrangement**



**Optional Upper Deck
Arrangement with Sunken Bar
Lower Helm and Day Head**



SPECIFICATIONS

Length Overall (B)	72'0"	21.95 meters
Beam	20'2"	6.15 meters
Draft (C)	5'4"	1.63 meters
Freeboard Forward (C)	8'5"	2.57 meters
Freeboard Aft (C)	8'3"	2.52 meters
Headroom Most Areas	6'8"	2.03 meters
Freshwater Capacity (C)	300 gallons	1,135 liters
Fuel Capacity (C)	2,220 gallons	8,403 liters
Holding Capacity (C)	350 gallons	1,234 liters
Weight Displacement	160,000 pounds	72,574 kilos
Height Above Waterline to:		
• Top of Flybridge Windshield (C)	17'9"	5.41 meters
• Top of Arch (C)	21'4"	6.50 meters
Waterline Length	65'0"	19.81 meters

ENGINE OPTIONS

Twin CAT C32 Diesel Engines	1550 BHP
Twin CAT C32 Diesel Engines	1650 BHP
Twin CAT C32 ACERT Diesel Engines	1800 BHP
Twin MTU 10V2000 CR Diesel Engines	1500 BHP



Standard
Lower Deck
Arrangement



Optional Lower Deck Arrangement
with Crew's Quarters and
His & Hers Head in Master



Optional Lower Deck with
Four-Stateroom / Three-Head
Arrangement, Aft VIP, and
His & Hers Head in Master



Exterior Finish/Construction

- Isophthalic gelcoat, exterior layer
- Blister resistant vinylester resin in hull bottom skin coat
- Hull and superstructure linear polyester/polyurethane coating
- Polymer/copper based anti-fouling bottom paint
- Boot stripe, linear polyester/polyurethane coating
- Decks, non-skid surface, polyurethane paint with polymeric beads
- Resin infused solid fiberglass hull bottom
- Hull sides and superstructure laminated with PVC foam core
- Resin infused fiberglass stringers
- Steel laminated in stringers at key locations to bolt engine mounts
- Engine room bulkheads and decks of resin-infused composite construction using PVC foam core with layers of fiberglass laminate on each side

Hardware and Miscellaneous

- Wood bulkheads, cabinetry and trim with a satin or high-gloss polyester finish in cherry or African mahogany
- All hardware polished chrome with brushed chrome in galley
- Welded and polished stainless-steel anchor chute and roller
- 90-pound plow anchor and deck hawse pipe
- Windlass, 3,500 pound electric with 300 feet of acculoy hot dipped galvanized chain with deck mounted control switches
- Dual prop bow thruster, 32hp hydraulic
- Six polished stainless-steel springline cleats with chafing strips, through bolted in aluminum backing plates
- Polished stainless-steel bow cleats, through bolted in aluminum backing plates
- Polished stainless-steel stern cleats, through bolted in aluminum backing plates
- Welded and polished stainless-steel rails on bow, side-deck and flybridge, drilled and tapped in aluminum backing plates
- Fog bell
- Dual air horns
- Zincs on rudders and shafts
- Stern staffs with ensign
- Black braided mooring lines (6)
- Alloy 22 high-strength propeller shafts
- Manganese bronze dripless rudder seals
- Dripless shaft seals

- Life jackets (8)
- Life ring
- Portable "drychem" fire extinguishers (7), U.L. approved type in compliance with United States Coast Guard and ABYC standards
- Stainless-steel trim tabs
- Integral manganese bronze struts
- Stainless-steel rudders
- 8-blade propellers, Nibral high performance
- Marquipt Tide Ride eight step sea stairs with storage brackets
- Walk around side decks
- Forward sun pad with multi-position adjustable backrest
- Central vacuum, 2 outlets
- Davit, 1000 pound, fully hydraulic
- Holding tank with sewage pump and overboard discharge
- Black fenders (4)
- Deck plates for fuel and water fills and waste pump-out
- Heavy duty engine couplings
- Engine and generator exhaust exits through hull side near transom
- Generator exhaust, water separator

Engine Compartment and Bilge

- Water manifold with centralized shut-off valve for sinks and showers
- Pultruded fiberglass ruddershelf with stainless-steel rudder tie bar
- AC fluorescent lights
- DC lights
- DC ventilation blower
- Twin diesel, freshwater-cooled main engines with electrically controlled marine gears, neutral interlocks, exhaust silencers, engine hour meters, alternators, fuel filters and seawater strainers
- FM200 fixed fire extinguishing system for engine compartment with automatic and remote manual controls, plus audible and visual discharge signals
- Two 27.5kW freshwater-cooled Electronic Quiet Diesel Onan generator(D) with shock mounts, sound enclosure, seawater strainer, remote start, fuel/water separator, hour meter and water lift muffler
- Pressure and temperature controlled forced air induction system with water separators for engine combustion air and fans ducted from walkaround
- Polyethylene water lines
- Electric fuel transfer system with filtration and dry tank protection for pump

- Freshwater fill hose for engines and generators
- AC compressed air system with air line and regulator
- Dockside water inlet with pressure regulating valve and Hatteras patented quick disconnect
- 24 volt DC bilge and sump pumps, two at 2000 gph and six at 3700 gph, with heavy-duty float switches and protective guards
- Bronze/chrome ball-valves through-bolted in solid fiberglass on all underwater through hull fittings with electrical bonding throughout
- Pressurized 230 volt AC freshwater pump
- U.L. Marine listed fiberglass fuel tanks constructed from fire retardant resin with bronze fittings and coated with fire retardant paint
- Fiberglass water tanks, constructed with bronze fittings and materials which comply with the requirements of Title 21 for food and drugs.
- Sewage holding tank with 230 volt AC sewage pump, plumbed for dockside pump-out with ¾ full display and alarm as part of systems monitor programmable logic controller
- 110-volt AC oil changing system for engines, generators and gears with Hatteras patented quick disconnect.
- U.L. Marine listed fuel filter/water separator, generators
- Sealed shower sump, one each
- U.L. Marine approved fuel filters/water separators with dual filters, engines
- Electric fuel priming pumps, 24 volt DC, engines
- Painted polyurethane engine room and bilges
- Air conditioning compressors and pumps
- United States Coast Guard type A1 U.L. Marine approved fuel lines
- Discharge sea chests
- 1" stainless-steel steering tie bar with pivoting self-aligning ball joint connection at all cylinder and tie bar connections
- Insulation in deck
- Pick-up sea chests
- Digital monitoring for main engines in battery panel
- Start and stop switches and hour meter
- Rubber deck mat between engines

Electrical Systems

- 230 volt AC 30 gallon electric water heater in engine room, 20 gallon electric water heater in forward bilge compartment
- Two 24 volt banks of heavy-duty, 12 volt marine batteries (4) mounted in fire retardant fiberglass boxes
- U.L. 1426 listed boat cable, tin coated with insulation
- Gel/lead acid compatible 240 volt automatic programmable battery charger, 50/60Hz
- Automatic battery paralleling system with switch at control console
- Two 240 volt, 100 amp, transformer connected retractable shore cords with over-current protection and wireless remot control (bow deck)
- AC and DC lights and fixtures
- Battery control panel with fuses and isolation switches
- DC electronics panel with magnetic circuit breakers (flybridge)
- AC and DC distribution panels with magnetic circuit breakers
- AC switching panel with source selector switches, digital volt meter, ammeter, frequency meter, generator start/stop controls, voltage boost tap switch and interlock selector breakers
- Navigation lights, certified to United States Coast Guard and ABYC specifications
- Ground fault protection on AC receptacles and lighting circuits
- Air conditioning, 90,000 BTU, with reverse-cycle heating, with A/C compressors, individually controlled by SMX controls in each compartment
- TV antenna, omni-directional

Flybridge and Bridge Deck

- 432 square foot flybridge including 186 square foot boat deck
- Systems monitor with programmable logic controller read-out, visual and audible signals for exhaust temperature, alternator, battery voltage, high bilge water, fire warning in engine compartment, fire extinguisher discharge in engine room, AC power loss, smoke detectors, carbon monoxide detectors, and holding tank ¾ full monitor
- Molded fiberglass bridge
- Northstar 6101i GPS/plotter, Icom VHF, Simrad autopilot repeater, Furuno RD30 depth and temp

- Welded and polished stainless-steel grab rails and stanchions
- Lounge with vinyl-covered polyfoam cushions, covers and storage below, with access to boat deck
- Tempered glass windshield
- Control station with all necessary switches and dimmable lighted instruments
- Painted (polyurethane) aluminum radar arch with masthead light and anchor light
- Compass with dimmable light
- Single-lever clutch and throttle controls (electronic) with emergency back-up and engine synchronization
- Hydraulic power assisted steering
- Adjustable helmsman and companion seat with covers (Pompanette)
- Hinged door to galley
- DC AM/FM stereo receiver with CD player and speakers
- Wet bar with sink, refrigerator, icemaker and three barstools
- Stairs from galley to bridge
- Molded-in stairs to aft deck with hatch
- DC low level lights
- Neutral interlock switches allowing engine to start in neutral only
- Fuel level gauges

Optional Enclosed Flybridge (F)

- 240 square foot boat deck
- Systems monitor with programmable logic controller read-out, visual and audible signals for exhaust temperature, alternator, battery voltage, high bilge water, fire warning in engine compartment, fire extinguisher discharge in engine room, AC power loss, smoke detectors, carbon monoxide detectors, and holding tank ¾ full monitor
- Molded fiberglass bridge
- Northstar 6101i GPS/plotter, Icom VHF, Simrad autopilot repeater, Furuno RD30 depth and temp
- Welded and polished stainless-steel rails and stanchions
- Elevated L-shaped lounge with storage to starboard
- Stone table with stainless-steel pedestals (choice of standard stone options)
- Adjustable helmsman and companion seat
- Solid surface table with bench seat and storage on flybridge's starboard aft deck
- Fixed frameless windows with safety glass
- Intermittent electric windshield wipers/washers with controls

- Padded vinyl chart flat
- Forward control station with all necessary switches, single-lever electric clutch and throttle controls, synchronizer, back-up controls, power assisted steering, compass and electronic console
- Carpeting
- Dry bar with refrigerator, icemaker and storage
- 32" LCD TV
- DC AM/FM stereo receiver with CD/DVD player and speakers
- Hinged door
- AC duplex outlets
- Padded panel headliner (installed on track system for service access)
- Storage lockers, port
- Carbon monoxide detector
- Smoke detector

Optional Lower Helm (F)

- Systems monitor with programmable logic controller read-out, visual and audible signals for exhaust temperature, alternator, battery voltage, high bilge water, fire warning in engine compartment, fire extinguisher discharge in engine room, AC power loss, smoke detectors, carbon monoxide detectors, and holding tank ¾ full monitor
- Control station with all necessary switches and dimmable lighted instruments
- Integrated controls (electronic) and engine synchronization
- Compass with dimmable light
- Hydraulic power assisted steering
- Intermittent electric windshield wipers/washers with controls
- Electric defogger
- Northstar 6101i GPS/plotter, Icom VHF, Simrad autopilot repeater, Furuno RD30 depth and temp
- Helm seat (Pompanette)

Aft Deck

- Molded fiberglass with non-skid sole
- Molded bench seating with vinyl covered polyfoam cushions and cover
- Molded fiberglass steps with lights to flybridge
- Dual molded fiberglass steps, port and starboard, to swim platform with lights
- Boarding gates, port and starboard side decks

- Welded and polished stainless-steel door to deckhouse
- Amplifier, speakers, and volume control integrated with Bose salon stereo
- Hardtop
- AC duplex outlet
- AC lighting in hardtop
- Access to sidedecks
- Aft deck table of solid-surface material
- Freshwater wash down outlet with hose connection and Hatteras patented quick disconnect

Sport Deck

- Molded fiberglass with non-skid sole
- Freshwater wash down outlet with hose connection and Hatteras patented quick disconnect
- Welded and polished stainless-steel railing
- Molded-in fiberglass steps with DC lights to aft deck
- Cleats (2)
- Swim platform with re-boarding ladder
- Watertight door to utility room and engine room

Galley

- Amtico vinyl-strip flooring
- Padded panel headliner (installed on track system for service access)
- Safety glass
- Lighted stairway to lower companionway
- Lighted stairway with finished wood steps and door to flybridge
- Microwave/convection oven
- AC and DC lights and fixtures
- AC dimmable lights
- AC duplex outlets
- Amplifier, speakers, and volume control integrated with Bose salon stereo
- Lounge with storage underneath and stone table with stainless-steel pedestal (choice of standard stone options)
- Pantograph doors with locks, port and starboard, to side decks
- Stone countertops with undermount stainless-steel sink and storage cabinets made of finished wood (choice of standard stone options)
- 42" upright refrigerator and freezer with icemaker
- AC four-burner ceramic cooktop
- One-half hp continuous feed garbage disposal

- SMX HVAC compartment controlled
- Walk-in pantry starboard side
- Water level gauge
- Storage cabinets
- Smoke detector
- Carbon monoxide detector

Salon

- Carpeting
- Padded panel headliner (installed on track system for service access)
- Custom designed decorative wood valances with fixed Roman shades and duettes
- Welded and polished stainless-steel door to aft deck opening from center
- Buffet Cabinet
- China cabinet with mirror
- Step to galley
- Stairwell to lower utility room and engine room
- 42" LCD TV with omni-directional antenna
- Bose Lifestyle 35 home theater with AM/FM, CD/DVD, and surround sound speakers
- Icemaker
- Fixed frameless windows with tinted safety glass
- AC and DC lights and fixtures
- AC dimmable lights
- AC duplex outlets
- Custom sofa with storage
- Throw pillows
- Air conditioning dispersed through decorative valances, port and starboard
- DC low level lighting behind toe kick, port side
- Coffee table
- One club chair
- Carbon monoxide detector
- Smoke detector
- SMX HVAC compartment controlled
- Formal dining table with six chairs

Companionway

- Carpeting
- Padded panel headliner (installed on track system for service access)
- Padded panels on hullside(s) and bulkhead(s) (installed on track system for service access)
- Flush panel door with door stop to master stateroom and guest staterooms
- Lighted stairway to galley

- DC light fixtures
- Washer/dryer
- Central vacuum

Master Stateroom

- Carpeting
- Padded panel headliner (installed on track system for service access)
- Padded panels on hullside(s) and bulkhead(s) (installed on track system for service access)
- King-sized berth with upholstered headboard
- Upholstered berth base
- Polyfoam mattress, spread, throw pillows, pillows, pillow shams, mattress pad and sheets(E)
- Walk-in cedar-lined wardrobe with doors and automatic lights to starboard and additional hanging locker to port.
- Nightstands with drawers
- Dressers with drawers, port and starboard
- 26" LCD TV
- Bose 3-2-1 GS with AM/FM and DVD/CD w/speakers
- Full-length mirror
- AC and DC lights and fixtures
- AC dimmable lights
- DC low level lights under berth
- AC duplex outlets
- Private access to head
- Smoke detector
- Carbon monoxide detector
- Custom designed decorative wood valance with fixed Roman shades and black-out duettes
- Air conditioning dispersed through wood soffit over berth
- SMX HVAC compartment controlled
- Ventilating portlights, (2) with screen and four additional fixed portlights
- Sitting area with lounge and storage

Bow Guest Stateroom

- Carpeting
- Padded panel headliner (installed on track system for service access)
- Padded panels on hullside(s) and bulkhead(s) (installed on track system for service access)
- Queen sized tapered berth with upholstered headboard and cedar lined storage accessed via pneumatic cylinders
- Upholstered berth base

- Polyfoam mattress, spread, throw pillows, pillows, pillow shams, mattress pad and sheets(E)
- Cedar-lined hanging locker with door and automatic light, port and starboard
- Nightstands, port and starboard
- DC AM/FM stereo receiver with CD player and speakers
- Full-length mirror
- AC and DC lights and fixtures
- AC dimmable lights
- DC low level lights under berth
- AC duplex outlets
- Private access to head
- Smoke detector
- Carbon monoxide detector
- Air conditioning dispersed through decorative wood valance
- SMX HVAC compartment controlled
- Screened overhead hatch with privacy cover
- Overhead storage cabinets port and starboard

Port Guest Stateroom

- Carpeting
- Padded panel headliner (installed on track system for service access)
- Padded panels on hullside(s) and bulkhead(s) (installed on track system for service access)
- Queen sized tapered berth with upholstered headboard and cedar lined storage accessed via pneumatic cylinders
- Polyfoam mattresses, spreads, throw pillows, pillows, pillow shams, mattress pads and sheets(E)
- Cedar-lined hanging locker with door and automatic light
- Nightstand with drawers
- 19" LCD TV
- Bose 3-2-1 GS with AM/FM and DVD/CD w/speakers
- Full-length mirror
- AC and DC lights and fixtures
- AC dimmable lights
- AC duplex outlet
- Smoke detector
- Carbon monoxide detector
- Air conditioning dispersed through decorative valance
- SMX HVAC compartment controlled

Optional Fourth Stateroom (F)

- Carpeting
- Padded panel headliner (installed on track system for service access)
- Padded panels on hullside(s) and bulkhead(s) (installed on track system for service access)
- Upper and lower berths with storage under lower berth
- Upholstered berth base
- Polyfoam mattresses, spreads, pillows, mattress pads and sheets(E)
- Cedar-lined hanging locker with light
- Full-length mirror
- AC and DC lights and fixtures
- AC dimmable lights
- AC duplex outlet
- Smoke detector
- Carbon monoxide detector
- SMX HVAC compartment controlled

Master Head

- Stone flooring (choice of standard stone options)
- Padded panel headliner (installed on track system for service access)
- Wallcovering
- Stone countertop, backsplash, and sidesplash with two undermount sinks (choice of standard stone options)
- Stone baseboards (choice of standard stone options)
- Stone shower with frameless door (choice of standard stone options)
- Storage cabinet with mirror
- Base cabinet to match interior finish with storage
- Towel bar
- Freshwater toilet
- 120 volt AC air freshener blower
- AC and DC lights and fixtures
- DC low level lights under toe kicks
- AC duplex outlet
- Plexi-mirror around forward cabinet and aft bulkhead
- Air conditioning vent
- Holding tank ¾ full indicator light

Optional His and Her Master Heads (F)

- Includes standard master head features plus:
 - Upgraded stone shower with frameless doors (choice of standard stone options)
 - Additional storage cabinet with mirror
 - Additional plexi mirror around upper cabinet
 - Additional towel bar
 - Additional Headhunter freshwater toilet

Guest Heads

- Amtico vinyl-strip flooring
- Padded panel headliner (installed on track system for service access)
- Wallcovering
- solid-surface backsplash, sidesplash and countertop with undermount sink
- Hardwood baseboards
- Stall shower with seat, sliding door and automatic sump pump
- Storage cabinet with mirror
- Base cabinet to match interior finish with storage
- Towel bar
- Freshwater toilet
- 120 volt AC air freshener blower
- AC and DC lights and fixtures
- DC low level lights under toe kicks
- AC duplex outlet
- Plexi-mirror around upper cabinet
- Air conditioning vent
- Holding tank ¾ full indicator light

Optional Day Head (F)*In Lieu of Walk-in Pantry*

- Amtico vinyl-strip flooring
- Padded panel headliner (installed on track system for service access)
- Wallcovering
- Vanity with stone countertop, sidesplash and baseboards with porcelain under-mount sink (choice of standard stone options)
- Hardwood baseboards
- Plexi mirror above vanity
- Base cabinet to match interior finish with storage
- Towel ring
- Freshwater toilet
- 120 volt AC air freshener blower
- DC light fixtures
- DC low level lights under toe kicks
- AC duplex outlet
- Air conditioning vent
- Holding tank ¾ full indicator light

Optional Aft VIP Stateroom or Crew Stateroom (F)

- Carpeting
- Padded panel headliner (installed on track system for service access)
- Padded panels on hullside(s) and bulkhead(s) (installed on track system for service access)
- Queen berth
- Padded berth base
- Polyfoam mattress, spread, pillow, pillow shams, mattress pads and sheets (E)
- Cedar-lined hanging locker with doors and automatic light
- 19" LCD TV
- DC AM/FM stereo receiver with CD/DVD player and speakers
- AC and DC lights and fixtures
- AC duplex outlets
- Smoke detector
- Carbon monoxide detector
- SMX HVAC compartment controlled
- Stairwell from salon
- Watertight door from swim platform

Optional Aft Stateroom Head (F)

- Amtico vinyl-strip flooring
- Padded panel headliner (installed on track system for service access)
- Wallcovering
- Solid-surface countertop with integral sink and storage cabinet
- Stall shower and automatic sump pump
- Mirror
- Towel bar
- Headhunter freshwater toilet
- Recirculating fan
- AC and DC lights and fixtures
- AC duplex outlet
- Air conditioning vent
- Holding tank ¾ full indicator light

Storage/Utility Room

- Stairwell from salon
- Taylor Made door to engine room with viewing window
- Watertight door to swim platform

Footnotes

- (A) Right is reserved to make changes at any time, without notice, in prices, material, specifications and equipment. Orders are accepted subject to prices prevailing at time of shipment. Orders requesting any material and/or equipment which differ from that selected by Hatteras as standard or optional for this model will be considered a custom change and will require additional charges. Prices shown for many options may apply only if ordered prior to start of production. Once production begins, orders for such options may require additional charges due to non-standard installation requirements and/or lead times. In order to show equipment size and location, line drawing may include some optional items. Specifications, standard equipment and optional equipment effective with boats sold at August 1, 2008 through July 31, 2009 Hatteras Base Prices.
- (B) Length overall does not include the optional swim platform or bow pulpit.
- (C) Weight, draft, and freeboard are based on an estimate of model's displacement with largest engines available and all tanks filled. Heights are estimated with largest engines and all tanks empty. Actual figures will vary depending on production tolerances, equipment, supplies and stores on board, as well as operational and sea conditions. Capacities of tanks are estimated to be total capacity of all tanks normally furnished in this model. Usable capacities will vary depending upon conditions.
- (D) Generator is not intended to supply power for all standard and optional accessories simultaneously. Load must be limited to generator output rating.
- (E) One set of sheets includes: one bottom sheet, one top sheet, pillowcase(s).
- (F) Option must be ordered prior to start of production. Price shown reflects cost of scheduled installation requirements. A late request for this option will require an additional charge.



