

Hatteras 60 Motor Yacht

Hatteras Yachts is pleased to present the 60 Motor Yacht, a yacht that incorporates original design concepts, a spacious interior and intuitive features that make this an ideal boat for the owner-operator. The 60 Motor Yacht features a wide-open salon/galley living area and a three-stateroom, two-head arrangement that includes a 130-square-foot full-beam master stateroom amidship, a VIP stateroom forward, and guest bunks to port. Priced competitively in the marketplace, the 60 Motor Yacht represents an entry-level product for the thousands of boat owners who aspire to own a Hatteras.


SPECIFICATIONS

Length Overall (B)	60'11"	18.57 meters
Beam	18'2"	5.53 meters
Draft (C)	4'6"	1.37 meters
Freeboard Forward (C)	6'11"	2.11 meters
Freeboard Aft (C)	5'3"	1.6 meters
Headroom Most Areas	6'8"	2.03 meters
Freshwater Capacity (C)	250 pounds	946 liters
Fuel Capacity (C)	1175 pounds	4,448 liters
Holding Capacity (C)	100 pounds	378 liters
Weight Displacement (C)	94,000 pounds	42,638 kilos
Height Above Waterline to:		
– Top of Flybridge Windshield	15'	4.57 meters
Top of Arch	19'9"	6.02 meters
Waterline Length	53'1"	16.18 meters



ENGINE OPTIONS

Twin CMD QSM-11 Diesel Engines	705 BHP
Twin CAT C18 Diesel Engines	1000 BHP



Exterior Finish / Construction

- Isophthalic gelcoat, exterior layer, white
- Blister resistant vinylester resin in hull bottom skin coat
- Hull and superstructure linear polyester/polyurethane coating
- Polymer/copper based anti-fouling bottom paint
- Boot stripe
- Decks, non-skid, gel coat surface
- Solid fiberglass hull bottom
- Hull sides and superstructure laminated with PVC foam core
- Resin infused fiberglass stringers
- Steel laminated in stringers at key locations to bolt engine mounts
- Engine room bulkheads and decks of resin-infused composite construction using PVC foam core with layers of fiberglass laminate on each side

Hardware & Miscellaneous

- Wood bulkheads, cabinetry and trim with a satin polyester finish in African mahogany
- All hardware polished chrome with brushed chrome in galley
- 60 Pound plow anchor, anchor line and deck hawse pipe
- Windlass, Maxwell RC10 with 25 feet of acculoy hot dipped galvanized chain and 300 feet of rope with deck mounted control switches
- Bow Thruster, 26 hp electric
- Two polished stainless steel springline cleats with chafing strips, through bolted in aluminum backing plates
- Polished stainless-steel bow cleats, through bolted in aluminum backing plates
- Polished stainless-steel stern cleats, through bolted in aluminum backing plates
- Welded and polished stainless-steel rails on bow, side-deck and flybridge, drilled and tapped in aluminum backing plates
- Fog bell
- Dual air/electric horn
- Zincs on rudders and shafts
- Stern staffs with ensign
- Black braided mooring lines (6)
- Alloy 22 high-strength propeller shafts
- Manganese bronze dripless rudder seals
- Dripless shaft seals
- Life jackets (6)
- Life ring
- Portable "drychem" fire extinguishers (6), U.L. approved type in compliance with United States Coast Guard and ABYC standards
- Stainless steel trim tabs
- Integral manganese bronze struts
- Stainless-steel rudders
- Propellers, Nibral high performance
- MarQuipt sea ladder with storage brackets
- Walk around side decks
- Seat on bow deck
- Holding tank with sewage pump and

overboard discharge

- Black fenders (3)
- Deck plates for fuel and water fills and waste pump-out
- Heavy duty engine couplings
- Engine exhaust exits through hull side near transom
- Anchor locker on bow deck

Engine Compartment & Bilge

- Water manifold with centralized shut-off valve for sinks and showers
- Pultruded fiberglass ruddershelf with stainless steel rudder tie bar
- AC fluorescent lights
- DC lights
- DC ventilation blower
- Twin diesel, freshwater-cooled main engines with electrically controlled marine gears, neutral interlocks, exhaust silencers, engine hour meters, alternators, fuel filters and seawater strainers
- FM200 fixed fire extinguishing system for engine compartment with automatic and remote manual controls, plus audible and visual discharge signals
- One 21.5 kW freshwater-cooled Electronic Quiet Diesel Onan generator(D) with shock mounts, sound enclosure, seawater strainer, remote start, fuel/water separator, hour meter and water lift muffler
- Fiberglass air intake system for engine room and engine combustion air with baffling and filters to minimize water intrusion
- Polyethylene water lines
- Freshwater fill hose for engines and generator
- Dockside water inlet with pressure regulating valve and Hatteras patented quick disconnect
- 24-volt DC bilge and sump pumps: two at 2000 gph and three at 3700 gph, with heavy-duty float switches and protective guards
- Bronze/chrome ball-valves through-bolted in solid fiberglass on all underwater through hull fittings with electrical bonding throughout
- Pressurized 230 volt AC freshwater pump
- Aluminum fuel tank
- Polyethylene water tank
- Polyethylene sewage holding tank with 24 volt DC sewage pump, plumbed for dockside pump-out with ¾ full display and alarm as part of systems monitor programmable logic controller
- Sealed shower sump, one each
- Electric fuel priming pumps, 24 volt DC, engines
- Air conditioning pumps
- United States Coast Guard type A1 U.L. Marine approved fuel lines
- Discharge sea chests
- 1" stainless-steel steering tie bar with pivoting self-aligning ball joint connection at all cylinder and tie bar connections
- Insulation in deck
- Pick-up sea chests
- DC voltmeter in battery panel
- Start and stop switches and hour meter

Electrical Systems

- 230 volt AC 20 Gallon electric water heater
- Two 24 volt banks of heavy-duty, 12 volt marine batteries (4) mounted in fire retardant fiberglass boxes
- U.L. 1426 listed boat cable, tin coated with insulation
- Gel/lead acid compatible 240 volt automatic programmable battery charger, 50/60Hz
- Automatic battery paralleling system with switch at control console
- Two 240 volt, 50 amp, transformer connected shore cord inlets with cords and over-current protection (sport deck)
- AC and DC lights and fixtures
- Battery control panel with fuses and isolation switches
- DC electronics panel with magnetic circuit breakers (flybridge)
- AC and DC distribution panels with magnetic circuit breakers
- AC switching panel with source selector switches, volt meter, ammeter, frequency meter, generator start/stop controls, and interlock selector breakers
- Navigation lights, U.L. certified to United States Coast Guard and ABYC specifications
- Ground fault protection on AC receptacles and lighting circuits
- Air conditioning, 62,000 BTU's, with reverse-cycle heating
- TV antenna, omni-directional

Flybridge & Bridge Deck

- 196 square foot flybridge including 70 square foot boat deck
- Systems monitor with programmable logic controller read-out, visual and audible signals for exhaust temperature, alternator, battery voltage, high bilge water, fire warning in engine compartment, fire extinguisher discharge in engine room, AC power loss, smoke detectors, carbon monoxide detectors, and holding tank ¾ full monitor
- Molded fiberglass bridge
- Icom VHF, Furuno RD30 depth and temp
- Welded and polished stainless-steel grab rails and stanchions
- Lounge with vinyl-covered polyfoam cushions, covers and storage below, port
- Tempered glass windshield with stainless steel frame
- Control station with all necessary switches and dimmable lighted instruments
- Painted aluminum radar arch with masthead light and anchor light
- Compass with dimmable light
- Single-lever clutch and throttle controls (electronic) with engine synchronization
- Hydraulic power assisted steering
- Adjustable helmsman and companion seats with covers (Pompanette)
- Hinged door to galley
- DC AM/FM stereo receiver with CD player and speakers
- Welded and polished stainless-steel step with wood treads from bridge to galley

[Continued Next Page]

[Continued from Last Page]

- Molded-in stairs to aft deck
- DC low level lights
- Neutral interlock switches allowing engine to start in neutral only
- Fuel level gauges

Optional Lower Helm (F)

- Systems monitor with programmable logic controller read-out, visual and audible signals for exhaust temperature, alternator, battery voltage, high bilge water, fire warning in engine compartment, fire extinguisher discharge in engine room, AC power loss, smoke detectors, carbon monoxide detectors, and holding tank $\frac{3}{4}$ full monitor
- Control station with all necessary switches and dimmable lighted instruments
- Integrated controls (electronic) and engine synchronization
- Compass with dimmable light
- Hydraulic power assisted steering
- Intermittent electric windshield wipers/washers with controls
- Electric defogger

Aft Deck

- Molded fiberglass with non-skid sole
- Molded bench seating with vinyl covered polyfoam cushions and cover
- Fiberglass stairwell from aft deck to bridge deck
- Molded fiberglass steps with lights to sport deck, port and starboard
- Chain gate from aft deck to steps
- Welded and polished stainless-steel three panel door (two sliding panels) to deckhouse
- Amplifier, speakers, and volume control integrated with Bose® salon stereo
- Hardtop
- AC duplex outlet
- DC lighting in hardtop
- Welded and polished stainless-steel handrails to side decks
- Access hatch to utility and engine compartment

Sport Deck

- Molded fiberglass with non-skid sole
- Freshwater wash down outlet with hose connection and Hatteras patented quick disconnect
- Molded-in fiberglass steps with DC lights to aft deck
- Pop-up cleats (2)
- Swim platform with stainless steel re-boarding steps

Galley

- Amtico vinyl-strip flooring
- Padded panel headliner (installed on track system for service access)
- Safety glass
- Steps with lights to lower companionway
- Welded and polished stainless-steel steps with wood treads to flybridge
- Microwave / convection oven
- AC and DC lights and fixtures
- AC duplex outlets
- Amplifier, speakers, and volume control integrated with Bose® salon stereo
- Dinette with storage underneath and solid-surface table with stainless-steel pedestal
- Pantograph door to starboard side deck with lock
- solid-surface countertops with sink and storage cabinets made of finished wood
- Upright refrigerator and freezer
- AC two-burner ceramic cooktop
- One-half hp continuous feed garbage disposal

Salon

- Carpeting
- Padded panel headliner (installed on track system for service access)
- Duette blinds
- Welded and polished stainless-steel three panel door (two sliding panels) to deckhouse
- Step to galley
- 36" LCD TV with omni-directional antenna
- Bose® Lifestyle 35 home theater with AM/FM, CD/DVD, and surround sound speakers
- Fixed frameless windows with tinted safety glass
- AC and DC lights and fixtures
- AC duplex outlets
- Custom sofa with storage
- Throw pillows
- Air conditioning
- End table
- Loveseat
- Carbon monoxide detector
- Smoke detector
- SMX HVAC compartment controlled

Companionway

- Carpeting
- Padded panel headliner (installed on track system for service access)
- Padded panels on hullside(s) and bulkhead(s) (installed on track system for service access)
- Flush panel door with door stop to master stateroom, guest staterooms and guest head
- Lighted stairway to galley
- DC light fixtures
- Storage cabinets outboard

Master Stateroom

- Carpeting
- Padded panel headliner (installed on track system for service access)
- Padded panels on hullside(s) and bulkhead(s) (installed on track system for service access)
- King-sized berth with storage and upholstered headboard
- Upholstered berth base
- Polyfoam mattress, spread, throw pillows, pillows, pillow shams, mattress pad and sheets(E)
- Twin cedar-lined wardrobes with doors and automatic lights
- Nightstands with drawers
- Dresser with drawers, port and starboard
- 19" LCD TV
- Bose® 3-2-1 GS with AM/FM and DVD/CD w/speakers
- Full-length mirror
- AC and DC lights and fixtures
- DC low level lights under berth
- AC duplex outlets
- Private access to head
- Smoke detector
- Carbon monoxide detector
- Duette shades
- Air conditioning dispersed through soffit
- SMX HVAC compartment controlled
- Portlights, port and starboard
- Vanity with stool

Bow Guest Stateroom

- Carpeting
- Padded panel headliner (installed on track system for service access)
- Padded panels on hullside(s) and bulkhead(s) (installed on track system for service access)
- Queen-sized berth with upholstered headboard and cedar-lined storage underneath
- Upholstered berth base
- Polyfoam mattress, spread, throw pillows, pillows, pillow shams, mattress pad and sheets(E)
- Cedar-lined hanging locker with door and automatic light
- Nightstands, port and starboard
- DC AM/FM stereo receiver with CD player and speakers
- Full-length mirror
- AC and DC lights and fixtures
- AC duplex outlets
- Private access to head
- Smoke detector
- Carbon monoxide detector
- SMX HVAC compartment controlled
- Screened overhead hatch with privacy cover

Port Guest Stateroom

- Carpeting
- Padded panel headliner (installed on track system for service access)
- Padded panels on hullside(s) and bulkhead(s) (installed on track system for service access)
- Criss/cross berths with storage under lower berth
- Polyfoam mattresses, spreads, pillows, pillow shams, mattress pads and sheets(E)
- Cedar-lined hanging lockers with door and automatic light
- Full-length mirror
- AC and DC lights and fixtures
- AC duplex outlet
- Smoke detector
- Carbon monoxide detector
- Air conditioning with fan control

Master Head

- Amtico vinyl-strip flooring
- Padded panel headliner (installed on track system for service access)
- Wallcovering
- Solid-surface countertop with backsplash, sidesplash and integral sink
- Hardwood baseboards
- Stall shower with door and automatic sump pump.

- Storage cabinet with mirror above sink
- Base cabinet to match interior finish with storage
- Towel bar
- Freshwater toilet
- 120 volt AC air freshener blower
- AC and DC lights and fixtures
- DC low level lights under toe kicks
- AC duplex outlet
- Air conditioning vent
- Holding tank ¾ full indicator light


Guest Heads

- Amtico vinyl-strip flooring
- Padded panel headliner (installed on track system for service access)
- Wallcovering
- Solid-surface backsplash, sidesplash and countertop with integral sink
- Hardwood baseboards
- Stall shower with door and automatic sump pump
- Storage cabinet with mirror
- Base cabinet to match interior finish with storage
- Towel bar
- Freshwater toilet
- 120 volt AC air freshener blower
- AC and DC lights and fixtures
- AC duplex outlet

Footnotes

- (A) Right is reserved to make changes at any time, without notice, in prices, material, specifications and equipment. Orders are accepted subject to prices prevailing at time of shipment. Orders requesting any material and/or equipment which differ from that selected by Hatteras as standard or optional for this model will be considered a custom change and will require additional charges. Prices shown for many options may apply only if ordered prior to start of production. Once production begins, orders for such options may require additional charges due to non-standard installation requirements and/or lead times. In order to show equipment size and location, line drawing may include some optional items. Specifications, standard equipment and optional equipment effective with boats sold at August 1, 2008 through July 31, 2009 Hatteras Base Prices.
- (B) Length overall does not include the optional swim platform or bow pulpit.
- (C) Weight, draft, and freeboard are based on an estimate of model's displacement with largest engines available and all tanks filled. Heights are estimated with largest engines and all tanks empty. Actual figures will vary depending on production tolerances, equipment, supplies and stores on board, as well as operational and sea conditions. Capacities of tanks are estimated to be total capacity of all tanks normally furnished in this model. Usable capacities will vary depending upon conditions.
- (D) Generator is not intended to supply power for all standard and optional accessories simultaneously. Load must be limited to generator output rating.
- (E) One set of sheets includes: one bottom sheet, one top sheet, pillowcase(s).
- (F) Option must be ordered prior to start of production. Price shown reflects cost of scheduled installation requirements. A late request for this option will require an additional charge.

ARRANGEMENTS



Standard Flybridge Arrangement

Optional Flybridge Arrangement with Davit

Optional Flybridge Arrangement with Bench Seating and Sunpad

Standard Upper Deck Arrangement

Optional Upper Deck Arrangement with Helm Station and Aft Deck Table

Standard Lower Deck Arrangement

Optional Lower Deck Arrangement with Crew Quarters and Tub in Master